		Conoo	alad			
	Type of wiring	Concealed				
	Casing capping (as per approval)	Modi make/ Precision (ISI grade) Precision / Polycab / Swastik (ISI make)				
	PVC pipe and accessories					
	Wires			ex / R R kabe		
	Computer DataCable			Awaya mak		
					l make (ISI grad	
	MCB / MCB DB			/ Siemens (I		
	ELMCB		-	/ Siemens (I	,	
	Ft. tubes & fixtures				Havells / Bajaj	
	Ceiling fans			ives / Havells	s / Usha	
	screws	Nettlef				
	Earthing material			opper and wit	h charcoal	
	Switch fuse unit		nake (IS			
	Switches/sockets & accessories			or Roma Moo	dular type	
	switchboards			dular type		
	Copper strip type busbar			ard make		
	ONLINE UPS	Fuji / \				
	SMF Batteries		Amaror			
	Offline UPS / Inverter		ek / Have			
	Tubular Batteries	Exide	Amaror	1		
SR	SUMMARY				AMOUNT	
Α	TOTAL OF MAIN PANEL / DB's / MCCBs :-					
^	TOTAL OF MAIN PANEL / DB 3/ MOODS .					
В	TOTAL OF CABLES & TERMINATIONS					
С	TOTAL OF POINT WIRING					
D	TOTAL OF FIXTURES					
Е	TOTAL OF EARTHING SYSTEM					
F	TOTAL OF TELEPHONE SYSTEM					
G	TOTAL OF DATA CABLING SYSTEM					
Н	TOTAL FOR MISCELLANEOUS WORKS-					
	Temperory Shifting					
	TOTAL FOR ELECTRICAL WORKS					
	DISCOUNT OFFERED -	0%				
	Less Buy back					
	GRAND TOTAL FOR ELECTRICAL					
	WORK					
					GST extra	
	Amt. in Rs. : - Rs. Only.					
					GST extra	
	RELECTRICAL WORKS FOR SANGLI- II B	RANC	H. (DP (CODE- 15390		
SR. NO.		UNIT	<u> </u>	RATE	AMOUNT	
Α	MAIN PANEL / DISTRIBUTION BOARDS / MCCBs :-					
1	Meter room Mains MCCB's		1			
-	Supplying & Installing 80A / 100A, FP MCCB in Sheet Steel Enclosure, complete with Gland Box etc					

SOQ FOR	R ELECTRICAL WORKS FOR SANGLI- II B	RANC	H, (DP C	ODE- 15390)	
SR. NO.	ITEM	UNIT	QTY	RATE	AMOUNT
	a. 80A / 100 A FP MCCB 16kA	Nos.	1.00		-
	Make : Legrand, Type : DPX3 160 with				
	Thermal & Magnetic protection Unit				
	b. Sheet steel Enclosure Box for FP MCCB	Nos.	1.00		-
2	MCB DISTRIBUTION BOARDS				
	SITC sheet metal fabricated & powder				
	coated Double Door Type MCB				
	Distribution Boards (surface/flush mounted).				
	DB's shall have MCB/MCCB as incomer,				
	RCCB as sub-incomer & SP/DP/TP MCB				
	as outgoing, complete with Per Phase				
	Isolation. All MCBs of C characteristics and				
	10 KA breaking capacity & ELCB's,				
	RCCB's, RCBO's should be of 100mA				
	sensitivity. The DB shall have appropriate				
	no. of top & bottom knock outs for outgoing				
	circuits & shall be complete with necessary				
	bus bars, interconnecting terminals & earth				
	studs. All terminations in DB shall be				
	complete with feruling, dressing with lugs &				
	all circuits shall be properly labeled with				
	PVC strip (sticker type) having identification				
	as per the final approval of the Consultant.				
	SITC Mains DB,				
	6 way VTPN - MCCB DB,	Nos.	1.00		-
ii)	80/100 A - TP MCCB, 16kA	Nos.	1.00		-
iii)	25 A - TP MCB outgoing (LDB)	Nos.	2.00		-
iv)	63 A - TP MCB outgoing (AC DB &	Nos.	2.00		-
	Spare)				
v)	25/32 A - SP MCB outgoing (UPS Input /	Nos.	6.00		-
	Inverter DB, SIgnage / ATM DB)				
vi)	Blanking plates	Nos.	0.00		-
2.2	SITC LIGHTING DB				
i)	6 way TPN - MCB DB,	Nos.	1.00		-
	25 A - FP MCB, as incomer	Nos.	1.00		-
iii)	25 A - DP 30mA RCCB / ELCB, as sub-	Nos.	3.00		-
1	incomer				
		Nos.	12.00		-
iv)	6/10 A - SP MCB outgoing	1103.	12.00		
iv)	6/10 A - SP MCB outgoing	1403.	12.00		
	6/10 A - SP MCB outgoing SITC RAW POWER & AC DB	1103.	12.00		
2.3	SITC RAW POWER & AC DB	Nos.	1.00		-
2.3 i)	SITC RAW POWER & AC DB 6 way TPN - MCB DB,	Nos.	1.00		
2.3 i) ii)	SITC RAW POWER & AC DB 6 way TPN - MCB DB, 63 A - TPN MCB	Nos. Nos.	1.00 1.00		-
2.3 i) ii)	SITC RAW POWER & AC DB 6 way TPN - MCB DB, 63 A - TPN MCB 40 A - DP 100mA <u>RCCB / ELCB</u> , as sub-	Nos.	1.00		
2.3 i) ii) iii)	SITC RAW POWER & AC DB 6 way TPN - MCB DB, 63 A - TPN MCB	Nos. Nos.	1.00 1.00		

JUK FUR	ELECTRICAL WORKS FOR SANGLI- II B	RANC	H, (DP C	ODE- 15390	
SR. NO.	ITEM	UNIT	QTY	RATE	AMOUNT
2.4	SITC UPS Output DB				
	6 way SPN - MCB DB,	Nos.	1.00		-
,	32 A - DP MCB as incomer	Nos.	1.00		-
			2.00		-
	UPS DB	1100.	2.00		
	16A - SP MCB outgoing, for CCTV,	Nos.	2.00		
	Network rack, Security alarm system etc	1105.	2.00		-
	Network rack, Security alarm system etc				
	SITC BRANCH UPS DB				
i)	12 way SPN - MCB DB,	Nos.	1.00		-
ii)	32 A - DP MCB as incomer	Nos.	2.00		-
iii)	16/20A - SP MCB outgoing	Nos.	8.00		-
2.6	SITC INVERTER Lighting DB				
	8 way SPN - MCB DB,	Nos.	1.00		-
	25 A - DP MCB as incomer	Nos.	1.00		-
	6/10A - SP MCB outgoing	Nos.	4.00		-
	or text = or mob outgoing	1103.	4.00		
<u> </u>					
	SITC ATM LDB / AC DB		0.00		
,	6 way SPN - MCB DB,	Nos.	0.00		-
/	32 A - DP MCB as incomer	Nos.	0.00		-
iii)	10/16/20A - SP MCB outgoing	Nos.	0.00		-
2.8	SITC ATM UPS Output DB				
i)	6 way SPN - MCB DB,	Nos.	0.00		-
jij)	16/20 A - DP MCB as incomer	Nos.	0.00		-
	10/16A - SP MCB outgoing	Nos.	0.00		-
,	i of the internet of the generation of the second sec		0.00		
2.0	MCB BOX				
	MCB BOX				
	SITC 4 way - MCB with Box, for				
	switching off the lighitng DB near main gate				
	to switch OFF all the light points after office				
	hours				
i)	Sheet steel Enclosure Box for FP MCB	Nos.	1.00		-
ii)	32/25 A - FP MCB	Nos.	1.00		-
	SITC 4 way - MCB with Box, for				
	switching off the AC DB near main gate to				
	switch OFF all the AC's after office hours				
i)	Sheet steel Enclosure Box for FP MCB				
,		Nos.	1.00		-
		Nos.	1.00		-
ii)	63 A - TPN MCB		1.00 1.00		-
ii)	63 A - TPN MCB	Nos. Nos.			-
					-
c.	SITC 2 way - MCB with Box, for Cassette				-
c.	SITC 2 way - MCB with Box, for Cassette AC, at Out Door Unit	Nos.	1.00		-
c.	SITC 2 way - MCB with Box, for Cassette				-
с. i)	SITC 2 way - MCB with Box, for Cassette AC, at Out Door Unit Sheet steel Enclosure Box for DP MCB	Nos.	1.00		-
c. i)	SITC 2 way - MCB with Box, for Cassette AC, at Out Door Unit	Nos.	1.00		-
c. i) ii)	SITC 2 way - MCB with Box, for Cassette AC, at Out Door Unit Sheet steel Enclosure Box for DP MCB 32 A - DP MCB	Nos.	1.00		-
i) ii) ii)	SITC 2 way - MCB with Box, for Cassette AC, at Out Door Unit Sheet steel Enclosure Box for DP MCB 32 A - DP MCB SITC 2 way - MCB with Box, for UPS	Nos.	1.00		-
i) ii) d.	SITC 2 way - MCB with Box, for Cassette AC, at Out Door Unit Sheet steel Enclosure Box for DP MCB 32 A - DP MCB SITC 2 way - MCB with Box, for UPS Input / Output and for switching OFF UPS	Nos.	1.00		-
i) ii) d.	SITC 2 way - MCB with Box, for Cassette AC, at Out Door Unit Sheet steel Enclosure Box for DP MCB 32 A - DP MCB SITC 2 way - MCB with Box, for UPS Input / Output and for switching OFF UPS outputs to branch	Nos. Nos.	1.00		-
i) ii) d.	SITC 2 way - MCB with Box, for Cassette AC, at Out Door Unit Sheet steel Enclosure Box for DP MCB 32 A - DP MCB SITC 2 way - MCB with Box, for UPS Input / Output and for switching OFF UPS	Nos.	1.00		-
i) ii) d.	SITC 2 way - MCB with Box, for Cassette AC, at Out Door Unit Sheet steel Enclosure Box for DP MCB 32 A - DP MCB SITC 2 way - MCB with Box, for UPS Input / Output and for switching OFF UPS outputs to branch	Nos. Nos.	4.00		
c. i) ii) d.	SITC 2 way - MCB with Box, for Cassette AC, at Out Door Unit Sheet steel Enclosure Box for DP MCB 32 A - DP MCB SITC 2 way - MCB with Box, for UPS Input / Output and for switching OFF UPS outputs to branch	Nos. Nos.	4.00		-
c. i) ii) d.	SITC 2 way - MCB with Box, for Cassette AC, at Out Door Unit Sheet steel Enclosure Box for DP MCB 32 A - DP MCB SITC 2 way - MCB with Box, for UPS Input / Output and for switching OFF UPS outputs to branch Sheet steel Enclosure Box for DP MCB	Nos. Nos. Nos.	1.00 4.00 4.00 3.00		
c. i) ii) d. i) i)	SITC 2 way - MCB with Box, for Cassette AC, at Out Door Unit Sheet steel Enclosure Box for DP MCB 32 A - DP MCB SITC 2 way - MCB with Box, for UPS Input / Output and for switching OFF UPS outputs to branch Sheet steel Enclosure Box for DP MCB 32/25 A - DP MCB	Nos. Nos. Nos.	1.00 4.00 4.00 3.00		
c. i) ii) ii) d. i) ii) e.	SITC 2 way - MCB with Box, for Cassette AC, at Out Door Unit Sheet steel Enclosure Box for DP MCB 32 A - DP MCB SITC 2 way - MCB with Box, for UPS Input / Output and for switching OFF UPS outputs to branch Sheet steel Enclosure Box for DP MCB 32/25 A - DP MCB SITC 2 way - MCB with Box, for Signage	Nos. Nos. Nos. Nos.	1.00 4.00 4.00 3.00		-
c. i) ii) d. i) ii) e.	SITC 2 way - MCB with Box, for Cassette AC, at Out Door Unit Sheet steel Enclosure Box for DP MCB 32 A - DP MCB SITC 2 way - MCB with Box, for UPS Input / Output and for switching OFF UPS outputs to branch Sheet steel Enclosure Box for DP MCB 32/25 A - DP MCB SITC 2 way - MCB with Box, for Signage and for switching OFF Inverter outputs to	Nos. Nos. Nos. Nos.	1.00 4.00 4.00 3.00		-
c. i) ii) d. i) ii) e.	SITC 2 way - MCB with Box, for Cassette AC, at Out Door Unit Sheet steel Enclosure Box for DP MCB 32 A - DP MCB SITC 2 way - MCB with Box, for UPS Input / Output and for switching OFF UPS outputs to branch Sheet steel Enclosure Box for DP MCB 32/25 A - DP MCB SITC 2 way - MCB with Box, for Signage and for switching OFF Inverter outputs to branch	Nos. Nos. Nos. Nos.	1.00 4.00 4.00 3.00 3.00		-
c. i) ii) d. i) ii) e.	SITC 2 way - MCB with Box, for Cassette AC, at Out Door Unit Sheet steel Enclosure Box for DP MCB 32 A - DP MCB SITC 2 way - MCB with Box, for UPS Input / Output and for switching OFF UPS outputs to branch Sheet steel Enclosure Box for DP MCB 32/25 A - DP MCB SITC 2 way - MCB with Box, for Signage and for switching OFF Inverter outputs to	Nos. Nos. Nos. Nos.	1.00 4.00 4.00 3.00		-
c. i) ii) ii) d. i) ii) ii) ii)	SITC 2 way - MCB with Box, for Cassette AC, at Out Door Unit Sheet steel Enclosure Box for DP MCB 32 A - DP MCB SITC 2 way - MCB with Box, for UPS Input / Output and for switching OFF UPS outputs to branch Sheet steel Enclosure Box for DP MCB 32/25 A - DP MCB SITC 2 way - MCB with Box, for Signage and for switching OFF Inverter outputs to branch	Nos. Nos. Nos. Nos.	1.00 4.00 4.00 3.00 3.00		-

SOQ FOF	RELECTRICAL WORKS FOR SANGLI- II B	RANC	H, (DP (CODE- 15390)
SR. NO.	ITEM	UNIT	QTY	RATE	AMOUNT
4.0 a)	Supplying & Installing 10/20 A Modular Power Socket points complete with MS concealed box, Modular Switch plate, 20A Modular Socket, controlled by a Modular 20 / 25A SP MCB with necessary screws, nylon plug, Saddles, hardware etc. including cost of 3 x 4.0 sqmm PVC insulated FRLS copper Wires and 25mm/20 mm PVC conduit, For ATM UPS & Inverter Input & Output connections	Nos.	2.00		-
	Rate in words : -				
b)	Supplying & Installing 20 A Power Socket points complete with MS concealed box, Modular Switch plate, 20A Modular Socket, controlled by a Modular 20 / 25A SP MCB with necessary screws, nylon plug, Saddles, hardware etc.	Nos.	0.00		-
	including cost of 2x4.0 sqmm + 1x2.5 sqmm PVC insulated FRLS copper Wires and 25mm/20 mm PVC conduit, For High Wall Split AC Units				
	Rate in words : -				
c)	Supplying & Installing 20 A Power Socket points complete with MS concealed box, 20A Modular Socket, without local switch (<i>directly controlled</i> <i>by a 20 / 25A SP MCB in AC DB</i>) with necessary screws, nylon plug, Saddles, hardware etc. For High Wall Split AC Units	Nos.	3.00		-

SR. NO.	RELECTRICAL WORKS FOR SANGLI- II E	UNIT	QTY	RATE	AMOUNT
511.110.	including cost of 2x4.0 sqmm + 1x2.5	-	w. i i		Amoon
	sqmm PVC insulated FRLS copper Wires				
	and 25mm/20 mm PVC conduit, For High				
	Wall Split AC Units				
	Rate in words : -				
d)	Supplying & laying circuit wiring for 20 A				
	Power Socket points (without any socket				
	/ switch (directly controlled by a 20 / 25A SP MCB in AC DB) with necessary				
	screws, nylon plug, saddles, hardware etc.				
	by laying 2x4.0 sqmm + 1x2.5 sqmm PVC	NOS	4.00		
	insulated FRLS copper Wires through				
	25mm/20 mm PVC conduits, For Cassette				
	AC Units				
	including cost of 2x4.0 sqmm + 1x2.5				
	sqmm PVC insulated FRLS copper Wires				
	and 25mm/20 mm PVC conduit, For				
	Cassette AC Units				
	Rate in words : -				
- 1	Strong Room Power Point				
e)	Supplying & Installing 20 A Power Socket points complete MS concealed				
	box, Modular Switch plate, 20A Modular				
	Socket, controlled by a Modular 20A SP				
	MCB with necessary screws, nylon plug,				
	Saddles, hardware etc. including cost of				
	2x2.5.0 sqmm + 1x1.5 sqmm PVC insulated FRLS copper Wires and				
	25mm/20 mm PVC conduit, For Strong				
	Room / Cash room Entrance as It's Lighting				
	circuit control from outside. Lighting		1.00		
	switch board inside the Strong room /				
	Cash room to be connected using, 2				
	mets of 3 core 1.5 sq mm flexible copper				
	cable with 15 A plug top from this power				
	socket installed outside the room (rate				
	should be given inclusive of flexible cable,				
	plug top and circuit)				
	Rate in words : -				
	A. TOTAL OF MAIN PANEL / DB's /				
	MCCBs :-				
В	CABLES & TERMINATIONS				
	Supply and Laying of following LT cables				
	confirming to IS 1554 (part 1) with				
	necessary M.S. clamps. All such cables				
		I			
	shall be provided with temporary labeling at				
	every 20 mtr. & then finally with metal				
	every 20 mtr. & then finally with metal identification tags showing the size & the				
	every 20 mtr. & then finally with metal identification tags showing the size & the location from/to the specific panel/DB at				
	every 20 mtr. & then finally with metal identification tags showing the size & the location from/to the specific panel/DB at both the ends. The cost shall include				
	every 20 mtr. & then finally with metal identification tags showing the size & the location from/to the specific panel/DB at both the ends. The cost shall include terminations of all the armoured cables				
	every 20 mtr. & then finally with metal identification tags showing the size & the location from/to the specific panel/DB at both the ends. The cost shall include terminations of all the armoured cables using Siemens type single compression,				
	every 20 mtr. & then finally with metal identification tags showing the size & the location from/to the specific panel/DB at both the ends. The cost shall include terminations of all the armoured cables using Siemens type single compression, chrome plated brass cable glands & crimp				
	every 20 mtr. & then finally with metal identification tags showing the size & the location from/to the specific panel/DB at both the ends. The cost shall include terminations of all the armoured cables using Siemens type single compression, chrome plated brass cable glands & crimp type tin copper lugs, Bimetallic lugs are to				
	every 20 mtr. & then finally with metal identification tags showing the size & the location from/to the specific panel/DB at both the ends. The cost shall include terminations of all the armoured cables using Siemens type single compression, chrome plated brass cable glands & crimp type tin copper lugs, Bimetallic lugs are to be provided wherever two different type				
	every 20 mtr. & then finally with metal identification tags showing the size & the location from/to the specific panel/DB at both the ends. The cost shall include terminations of all the armoured cables using Siemens type single compression, chrome plated brass cable glands & crimp type tin copper lugs, Bimetallic lugs are to be provided wherever two different type conductors are present, Insulation tape etc.				
	every 20 mtr. & then finally with metal identification tags showing the size & the location from/to the specific panel/DB at both the ends. The cost shall include terminations of all the armoured cables using Siemens type single compression, chrome plated brass cable glands & crimp type tin copper lugs, Bimetallic lugs are to be provided wherever two different type conductors are present, Insulation tape etc. as required complete with earthing of				
1	every 20 mtr. & then finally with metal identification tags showing the size & the location from/to the specific panel/DB at both the ends. The cost shall include terminations of all the armoured cables using Siemens type single compression, chrome plated brass cable glands & crimp type tin copper lugs, Bimetallic lugs are to be provided wherever two different type conductors are present, Insulation tape etc.				

SR. NO.	ELECTRICAL WORKS FOR SANGLI- II E			RATE) AMOUNT
<u>5R. NO.</u> 1	II EM Aluminium Armoured Cables		עוז	RAIE	
	4 C x 35 Sq.mm Aluminium AYFY Armoured Cables, from MSEB Meter to Main Power DB Rate in words : -	Rmt	120.00		-
2	Copper Flexible Cables				
a.	2C x 4 Sq.mm Copper Flexible Cables, from UPS Output to UPS DB Input MCB Rate in words : -	Rmt	60.00		-
b.	3C x 6 Sq.mm Copper Flexible Cables, for <u>UPS Input</u> Rate in words : -	Rmt	30.00		
C.	4C x 4 Sq.mm Copper Flexible Cables, from Main DB to Lighting DB Rate in words : -	Rmt	50.00		-
d.	4C x 6 Sq.mm Copper Flexible Cables, from Mains DB to AC Power DB and Main DB to UPS Input MCB	Rmt	50.00		-
	Rate in words : -				
e.	3 C x 2.5 sq.mm. Cu flexible cables, for Signage and Inverter Input / outputs	Rmt	75.00		-
	Rate in words : -				<u> </u>
	B. TOTAL OF CABLES & TERMINATIONS				
<u>C</u> 1	POINT WIRING POWER POINTS				
	SITC of following concealed Power Point Wiring using 1100V grade 3C x 2.5 sq.mm. PVC insulated, PVC Sheathed Colored flexible copper FRLS wire, laid through 20mm / 25mm size MMS Grade, PVC conduits. All cabling / conduiting below false ceiling shall be concealed. Each circuit feeding not more than 3 Tables / Work Stations). The rate shall include cabling including conduit cost from DB to mentioned Power Points. (No seperate measurements for circuit wiring & PVC Conduits)				
a.	Primary UPS points	No	10.00		-
	Rate in words : - Supplying & Installing Primary UPS or Stabilized Power points on workstations / tables for computers using 3C x 2.5 Sq.mm PVC sheathed color flexible copper FRLS wires pulled through 25mm size MMS Grade PVC conduites, laid on surface above false ceiling and taken upto table top using 25/20 mm size MMS Grade PVC with a solution with the solution with the solution with the solution works and the solution with the solution with the solution with the solution with the solution works and the solution with the solution works and the solution with the solution works and the solution works and the solution with the solution works and the solution with the solution works and the soluti				
	PVC rigid or flexible conduits run within wooden or metal partitions. Each point consisting of 2 Nos of 6A, 5 Pin Modular sockets and 1 No. of 6/16A, 6 pin socket controlled by 1 No 20A Modular switch, wired together forming one point. Earth wire to be of Green colour				
	only. Switch should be above table top & sockets should be below table top				

	RELECTRICAL WORKS FOR SANGLI- II B				
SR. NO.	ITEM	UNIT	QTY	RATE	AMOUNT
	Only 3 tables served by one circuit from				
	UPS DB. The Rate should be including the				
	cost of Conduits, wires, Switch boards,				
	internal looping wires, necessary Gang Box,				
	PVC box, Modular Plates of other color,				
	Modular Switches, Sockets, Compete Job				
	with necessary screws, nylon plug, Saddles,				
	hardware. Etc. All Switch Boards should be				
	Properly numbered for identifications.				
b.	Secondary UPS points	No	6.00		
	Rate in words : -				
	Supplying & Installing Secondary UPS or				
	Stabilized Power points on workstations /				
	table for computers using 3C x 2.5 Sq.mm				
	PVC sheathed color flexible FRLS copper				
	wires pulled through 25mm size MMS				
	Grade PVC conduites. laid on surface				
	above false ceiling and taken upto table top				
	using 25/20 mm size MMS Grade PVC rigid				
	or flexible conduits run within wooden or				
	metal partitions.				
	Each point consisting of 2 Nos of 10A, 5				
	Pin Modular sockets and 1 No. of 6/16A,				
	6 pin socket controlled by 1 No 20A				
	Modular switch, wired together forming				
	one point. Earth wire to be of Green colour				
	only. Switch should be above table top &				
	sockets should be below table top				
	for 2 table served by the same circuit				
	from adjascent Primary point. The Rate				
	should be including cost of wire, Switch				
	board internal looping wires, necessary				
	Gang Box, PVC box, Modular Plate of other				
	color , Modular Switches, Sockets,				
	Compete Job with necessary screws, nylon				
	plug, Saddles, hardware. Etc. All Switch				
	Boards should be Properly numbered for				
	identifications.				
~	Primary 10/20 A power points, for Printers	No	2.00		
0.	/ Pantry / Hot Plate / Water cooler etc				
	· · · · · · · · · · · · · · · · · · ·				
	Rate in words : -				
	Supplying & Installing Primary 10/20 A				
	Power Socket points using 2 X 4.0				
	Sq.mm. + 1 X 1.0 Sq.mm. PVC insulated				
	multistanded FRLS Grade flexible copper				
	wires (with proper color code) pulled				
	through haevy gauge PVC conduits.				
	Each point consisting of 1 Nos of 10/20 A				
	Modular sockets controlled by 1 Nos of				
	20A Modular switch, wired together				
	forming a point. Earth wire to be of Green				
	colour only.				
	Only 2 Sockets served by one circuit taken				
	from Raw Power & ACDB				
4	Secondary 5/15 A power points, for	No	2.00		· ·
u.					
u.	Printers / Pantry / Hot Plate / Water cooler Rate in words : -				

	ELECTRICAL WORKS FOR SANGLI- II B				
SR. NO.	ITEM	UNIT	QTY	RATE	AMOUNT
	Supplying & Installing Secondary 10/20 A				
	Power Socket points using 2 X 2.5 Sq.mm + 1 X 1.0 Sq.mm PVC insulated				
	+ 1 X 1.0 Sq.mm PVC insulated multistanded FRLS Grade flexible copper				
	wires (with proper color code) pulled				
	through haevy gauge PVC conduits.				
	through haevy gauge i ve conduits.				
	Each point consisting of 1 Nos of 6/16 A				
	Modular sockets controlled by 1 Nos of				
	20A Modular switch, wired together				
	forming a point. Switch should be above				
	table top & sockets should be below				
	table top				
	•				
	The circuit should be taken from another				
	Primary 15 A Power Socket Point only,				
	whose circuit taken from Raw Power &				
	ACDB				
~					
2	LIGHT POINT WIRING SITC of following concealed point wiring				
	using 1100V grade 3C x 1.5 sq.mm. copper				
	conductor PVC insulated FRLS wires (with				
	proper R,Y,B colour code) pulled through 25mm / 20mm Size, MMS Grade PVC				
	conduits. All wiring below false ceiling shall				
	be concealed. The wires from ceiling				
	junction to light points shall be drawn in				
	flexible PVC conduit with adaptor & cover				
	for junction box & crimp type lugs at both				
	ends. Each circuit feeding not more than				
	average 12 points (800 watts). The rate				
	shall include circuit wiring (2C x 2.5 sq.mm.				
	+ 1C x 1.0 sq.mm.) from Lighting DB to				
	switchboard and to the fixtures. (No				
	seperate measurements for circuit wiring &				
	PVC Conduits)				
2	Primary Light points	No	48.00		
a.	Rate in words : -	INU	40.00		
	SITC 5A Primary light points including MS				
	concealed box, grid plate, 6A switch &				
	circuit wiring.				
b.	Secondary Light points	No	21.00		
	Rate in words : -				
	SITC 5A Secondary light points looped from				
	primary light point. All MCB controlled light				
	points will be considered as secondary light				
	points.				
		No	6.00		
~	Primary 5 A cocket points		6.00		
c.	Primary 5 A socket points Rate in words : -	110			
C.	Rate in words : -				
C.	Rate in words : - SITC Primary 5 A Socket points using				
C.	Rate in words : - SITC Primary 5 A Socket points using circuit wiring (with proper color code) pulled				
C.	Rate in words : - SITC Primary 5 A Socket points using				
C.	Rate in words : - SITC Primary 5 A Socket points using circuit wiring (with proper color code) pulled through medium gauge PVC conduits.				
C.	Rate in words : - SITC Primary 5 A Socket points using circuit wiring (with proper color code) pulled through medium gauge PVC conduits. Each point consisting of 1 Nos of 5 A				
с.	Rate in words : - SITC Primary 5 A Socket points using circuit wiring (with proper color code) pulled through medium gauge PVC conduits. Each point consisting of 1 Nos of 5 A sockets controlled by 1 Nos of 6A				
<u>c</u> .	Rate in words : - SITC Primary 5 A Socket points using circuit wiring (with proper color code) pulled through medium gauge PVC conduits. Each point consisting of 1 Nos of 5 A sockets controlled by 1 Nos of 6A switch , wired together forming a point with				
с.	Rate in words : - SITC Primary 5 A Socket points using circuit wiring (with proper color code) pulled through medium gauge PVC conduits. Each point consisting of 1 Nos of 5 A sockets controlled by 1 Nos of 6A				
	Rate in words : - SITC Primary 5 A Socket points using circuit wiring (with proper color code) pulled through medium gauge PVC conduits. Each point consisting of 1 Nos of 5 A sockets controlled by 1 Nos of 6A switch, wired together forming a point with Green colour Earth wire.		0.00		
	Rate in words : - SITC Primary 5 A Socket points using circuit wiring (with proper color code) pulled through medium gauge PVC conduits. Each point consisting of 1 Nos of 5 A sockets controlled by 1 Nos of 6A switch, wired together forming a point with Green colour Earth wire. Secondary / Separate 5 A socket points		0.00		
	Rate in words : - SITC Primary 5 A Socket points using circuit wiring (with proper color code) pulled through medium gauge PVC conduits. Each point consisting of 1 Nos of 5 A sockets controlled by 1 Nos of 6A switch, wired together forming a point with Green colour Earth wire.		0.00		

SR. NO.	ELECTRICAL WORKS FOR SANGLI- II E	UNIT	QTY	RATE	AMOUNT
	SITC Separate Secondary 5 A Socket points using circuit wiring (with proper color code) pulled through medium gauge PVC conduits. These points should be looped from the nearest Lighting Switch Board or				
	from Primary 5A Socket Points. Each point consisting of 1 Nos of 5 A				
	sockets controlled by 1 Nos of 6A switch, wired together forming a point with Green colour Earth wire.				
e.	Secondary 5 A socket points (on Board plug points) Rate in words : -	No	11.00		
	SITC Secondary 5 A Socket points using circuit wiring (with proper color code) pulled through haevy gauge PVC conduits. These points are installed on the Lighting Switch Board.				
	Each point consisting of 1 Nos of 5 A sockets controlled by 1 Nos of 6 A switch, wired together forming a point. Earth wire to be of Green colour only.				
f.	Exhaust fan/Wall Fan points Rate in words : -	No	12.00		
	SITC of concealed point wiring for Exhaust fan and Wall fan using 1100V grade 3C x 1.5 sq.mm. copper conductor PVC insulated FRLS wires (with proper R,Y,B colour code) pulled through 25mm / 20mm Size, MMS Grade PVC conduits. All wiring below false ceiling shall be concealed. The wires from ceiling junction to fan points shall be drawn in flexible PVC conduit with adaptor & cover for junction box & crimp type lugs at both ends. The rate shall include circuit wiring (2C x 2.5 sq.mm. + 1C x 1.0 sq.mm.) from Lighting DB to switchboard and to the Exhaust fan and Wall fan. (No seperate measurements for circuit wiring & PVC Conduits) Each Exhaust Fan and wall fan will be operated on seperate switch, Rate should be including the cost of 5 A switch, 4 way closed 5A connector & Mounting Plates				
g.	Ceiling fan points	No	5.00		
	Rate in words : - SITC Ceiling Fan point operated on seperate switch shall be Controlled by 2 Module, Step type Fan regulator, Rate should be including the cost of Fan hook, Suspending suitable fan rod, Connecting cord and Step type Fan Regulator				
h.	Bell points	No	2.00		
	Rate in words : - SITC Bell point consisting of 5A Modular Bell switch & Suitable Bell, (Bell switch to be installed in Manager Cabin and in Strong room. The Sound of both the bells should be different)				

SOQ FOR	ELECTRICAL WORKS FOR SANGLI- II B	RANC	H, (DP C	ODE- 15390)
SR. NO.	ITEM	UNIT	QTY	RATE	AMOUNT
j.	Indicator Light points	No	4.00		-
	R-Y-B Indicator Light point from Main Power				
	DB to Banking area, for indication of Mains				
	power supply with wiring, indicator lamps				
	etc., easily visible from the Exit / Entrance				
	Door, so that the Last Person to leave the				
	Branch / office should Turn OFF the Power				
	Supply (MCB) Located in Power DB's to				
	switch Off the Lighting, fans, AC's etc.				
	switch on the Lighting, fails, AC's etc.				
	Each Indicator Light Point Wiring to be done				
	with 3 X 1.5 Sq.mm. PVC insulated				
	multistanded FRLS Grade flexible copper				
	wires / 3 core 1.5 sq.mm flexible cable				
	drawn through Heavy gauge PVC conduit				
	from Respective DB Power to the				
	Respective Colored Indicator Lamp.				
	·				
	Raw Power to be written / Identified on the				
	respective DB with Red Colour				
	UPS Power to be written / Identified on the				
	respective DB with Yellow Colour				
	Lighting Power to be written / Identified on				
	the respective DB with Blue Colour				
	Inverter Power to be written / Identified on				
	the respective DB with Green Colour				
	C. TOTAL OF POINT WIRING				-
D	FIXTURES				
	SITC of following concealed / surface				
	mounted fixtures of makes as specified with				
	all fixture accessories like suitable tubes/				
	bulbs/ ballast & internal wiring etc. The				
	contractor has to assemble & install the				
	said fixtures at position with necessary				
	hardware required for installation like S-				
	hook, chain link etc. as per requirement.				
1	LED tube lights 4'	No	11.00		-
	Rate in words : -				
	SITC 1200 mm Long Surface/Wall Mounted				
	extruded Aluminium channels, with 20 w				
	LED Tube light fixtures complete. Rate				
	should be including the cost of Fixture,				
	Suspending suitable rods, other				
	accessories & hardware etc.				
	Model : BN021 LED25S 6500 PSU GR S1,				
<u> </u>	Make : Crompton Model : Linea LDLL20-CDL,				
	LDLL20-WW				
	Make : Wipro, Model : Garnet D532065, D552065				
	, ,				
	Make : Havells Model : E-Lite LED Pride Pus				
	LHEXBLP7PN1W020				
2	LED tube lights 2'	No	2.00		-
	Rate in words : -				
	SITC 600 mm Long Surface/Wall Mounted				
	extruded Aluminium channels, with 10 w				
	LED Tube light fixtures complete. Rate				
	should be including the cost of Fixture,				
	Suspending suitable rods, other				
	accessories & hardware etc.				
L					l

SR. NO.	RELECTRICAL WORKS FOR SANGLI- II B	UNIT	QTY	RATE	AMOUNT
3		No	28.00	NAIE	ANUOUNT
3	15 w Down lighter with LED Rate in words : -	INU	20.00		
	SITC 15 w White Powder Coated Housing				
	LED Round / Square Down Lighter with				
	High Efficiency LEDs & Ballasts				
	Make : Philips, Model : DN193B LED12S-6500 PSU WH S1				
	Make : Crompton, Model : Star Dura LSDRSD-18W-CDL/				
	NW/ WW,				
	Make : Wipro, Model : Garnet Wave D541565, Infinity				
	Wave DG11565, DG12065				
	Make : Havells, Model : Fazer Neo LHEBMCP7IW1W015,				
	LHEBMCP7IW1W020				
		Nia	00.00		
4	600 x 600 mm square LED panel fittings	No	23.00		
	Rate in words : -				
	SITC 36 / 40 w LED Panel of 600mm X				
	600mm size, Square, Powder coated				
	Recess mounting LED Light Fitting				
	Make: Philips, Model: RC380B G2 LED28S /				
	RC140B G2 LED31S-6500 PSE OD WH				
	Make: Crompton, Model : LCTLR-36-CDL 36 w,				
	LCPL-36-TL(2X2)				
	Make: Wipro, Model : Gartnet D424065,				
	D414065 CRCO10R038HP57				
	Make : Havells, Model : Venus Neo				
	PLR36WLED865PO, Plano PLR42WLED865S				
	-				
5	Fans				
	Supplying & Installing following mentioned				
	Aluminum, medium duty, powder coated				
	with glossy color Ceiling Fans / Wall Fans /				
	Exhaust Fans with necessary clamps hook,				
	bracket, hardware etc				
a.	SITC 1200 mm sweep Ceiling fans	No	5.00		
	Complete with Mounting rod, Clamps,				
	Locking pin etc. (Color -White / Ivory /				
	Brown)				
	Rate in words : -				
b.	SITC 250mm sweep Exhaust fan of metal	No	3.00		
	body & blade on the outside	-			
	Rate in words : -				
C C	SITC 400mm sweep Wall fan of 1350 RPM	No	8 00	1	
C.	SITC 400mm sweep Wall fan of 1350 RPM. Oscillating type metal blades chrome	No	8.00		
C.	Oscillating type, metal blades chrome	No	8.00		
C.	Oscillating type, metal blades chrome plated guard with speed regulator and	No	8.00		
c.	Oscillating type, metal blades chrome plated guard with speed regulator and moisture proof treatment to winding and	No	8.00		
C.	Oscillating type, metal blades chrome plated guard with speed regulator and moisture proof treatment to winding and with 'E' class insulation.	No	8.00		
c.	Oscillating type, metal blades chrome plated guard with speed regulator and moisture proof treatment to winding and	No	8.00		

	RELECTRICAL WORKS FOR SANGLI- II B	RANC	H, (DP C	ODE- 15390)
SR. NO.	ITEM	UNIT	QTY	RATE	AMOUNT
Е	EARTHING SYSTEM				
1	Plate Earthing				
	S & I of Earthing Pit / Earth Electrode				
	Station into the true ground level by using				
	GI / Copper Plate type earthing with				
	necessary excavation in soft soil, including				
	Pouring Charcoal & Salt (Approximately)				
	50kg each per Pit with Predrilled 50mm dia				
	B class GI Pipe-2.5 Mtr In length, GI Funnel				
	with wiremesh, 35 x 5mm GI/Cu Earthing				
	Strip, Complete job with necessary				
	construction of appropriate sized Earthing				
	PIT masonary Chamber with providing CI				
	hinged chamber cover, Nutbolts, Earthing				
	Testing Link, Hardware, Numbering of				
	Chamber by using water proof paint. For				
	more details refer IS 3043-1987 Brazing for				
	Cu & Welding for GI Plate to pipe & Strip				
	shall be done with coating by anti-corrosive				
	paint				
	·				
b.	CU Plate earthing.	No	3.00		-
	Rate in words : -				
	Copper earthing pit made up of 600 x 600 x				
	3 mm thick, copper electrode including 25 x				
	5 mm Copper strip.				
2	Earthing Wires				
2	SITC of insulated copper earthing wire laid				
	through 20 mm PVC conduits from				
	separately made earth pit to the equipment				
	in following sizes				
		Dmt	0.00		
a.	12 SWG cu bare wire for AC's & DBs Rate in words : -	Rmt	0.00		-
h	25mm x 5 mm thick GI strip	Rmt	0.00		
<u>.</u>	Rate in words : -	Nin	0.00		
C.	Single core, 6 sqmm FRLS PVC insulated	Rmt	150.00		-
c.	Single core, 6 sqmm FRLS PVC insulated multi threaded, flexible copper wire laid	Rmt	150.00		-
C.	multi threaded, flexible copper wire laid	Rmt	150.00		
c.		Rmt	150.00		-
с.	multi threaded, flexible copper wire laid through 20 mm size, MMS Grade PVC	Rmt	150.00		-
C.	multi threaded, flexible copper wire laid through 20 mm size, MMS Grade PVC Conduites	Rmt			
c. 	multi threaded, flexible copper wire laid through 20 mm size, MMS Grade PVC Conduites	Rmt	150.00		
	multi threaded, flexible copper wire laid through 20 mm size, MMS Grade PVC Conduites Rate in words : -				
	multi threaded, flexible copper wire laid through 20 mm size, MMS Grade PVC Conduites Rate in words : - Main Earth Bus	No			
	multi threaded, flexible copper wire laid through 20 mm size, MMS Grade PVC Conduites Rate in words : - Main Earth Bus Supplying & Installing of Main bus for	No			-
	multi threaded, flexible copper wire laid through 20 mm size, MMS Grade PVC Conduites Rate in words : - Main Earth Bus Supplying & Installing of Main bus for isolated earth comprising of 200mm x	No			
	multi threaded, flexible copper wire laid through 20 mm size, MMS Grade PVC Conduites Rate in words : - Main Earth Bus Supplying & Installing of Main bus for isolated earth comprising of 200mm x 40mm x 6mm thick copper bar fixed on insulated support and having 20 nos of	No			
	multi threaded, flexible copper wire laid through 20 mm size, MMS Grade PVC Conduites Rate in words : - Main Earth Bus Supplying & Installing of Main bus for isolated earth comprising of 200mm x 40mm x 6mm thick copper bar fixed on	No			
	multi threaded, flexible copper wire laid through 20 mm size, MMS Grade PVC Conduites Rate in words : - Main Earth Bus Supplying & Installing of Main bus for isolated earth comprising of 200mm x 40mm x 6mm thick copper bar fixed on insulated support and having 20 nos of holes and nut bolts studs for clamping the earth leads,all contained in MS/PVCbox of	No			
	multi threaded, flexible copper wire laid through 20 mm size, MMS Grade PVC Conduites Rate in words : - Main Earth Bus Supplying & Installing of Main bus for isolated earth comprising of 200mm x 40mm x 6mm thick copper bar fixed on insulated support and having 20 nos of holes and nut bolts studs for clamping the earth leads,all contained in MS/PVCbox of size 300mm x 200mm x 50mm deep and	No			
	multi threaded, flexible copper wire laid through 20 mm size, MMS Grade PVC Conduites Rate in words : - Main Earth Bus Supplying & Installing of Main bus for isolated earth comprising of 200mm x 40mm x 6mm thick copper bar fixed on insulated support and having 20 nos of holes and nut bolts studs for clamping the earth leads,all contained in MS/PVCbox of size 300mm x 200mm x 50mm deep and having transparent acrilic inspection cover	No			
	multi threaded, flexible copper wire laid through 20 mm size, MMS Grade PVC Conduites Rate in words : - Main Earth Bus Supplying & Installing of Main bus for isolated earth comprising of 200mm x 40mm x 6mm thick copper bar fixed on insulated support and having 20 nos of holes and nut bolts studs for clamping the earth leads,all contained in MS/PVCbox of size 300mm x 200mm x 50mm deep and	No			
	multi threaded, flexible copper wire laid through 20 mm size, MMS Grade PVC Conduites Rate in words : - Main Earth Bus Supplying & Installing of Main bus for isolated earth comprising of 200mm x 40mm x 6mm thick copper bar fixed on insulated support and having 20 nos of holes and nut bolts studs for clamping the earth leads,all contained in MS/PVCbox of size 300mm x 200mm x 50mm deep and having transparent acrilic inspection cover	No			
	multi threaded, flexible copper wire laid through 20 mm size, MMS Grade PVC Conduites Rate in words : - Main Earth Bus Supplying & Installing of Main bus for isolated earth comprising of 200mm x 40mm x 6mm thick copper bar fixed on insulated support and having 20 nos of holes and nut bolts studs for clamping the earth leads,all contained in MS/PVCbox of size 300mm x 200mm x 50mm deep and having transparent acrilic inspection cover as approved by Bank / Architect.	No			
	multi threaded, flexible copper wire laid through 20 mm size, MMS Grade PVC Conduites Rate in words : - Main Earth Bus Supplying & Installing of Main bus for isolated earth comprising of 200mm x 40mm x 6mm thick copper bar fixed on insulated support and having 20 nos of holes and nut bolts studs for clamping the earth leads,all contained in MS/PVCbox of size 300mm x 200mm x 50mm deep and having transparent acrilic inspection cover as approved by Bank / Architect.	No			

SR. NO.	ELECTRICAL WORKS FOR SANGLI- II B	UNIT		RATE	
	TELEPHONE / VOICE CABLING AND		WIT	RAIE	AMOUNT
F.					
4	OUTLETS	Nie	0.00		
1	Telephone points	No	2.00		
	Rate in words : -				
	Providing and laying 2 Pair Grey Color				
	0.5mm Tinned Cu, PVC insulated cable for				
	Telephone / Voice, laid through 20 / 25 mm				
	size, MMS Grade PVC Conduites and				
	Supplying & terminating with RJ-11				
	Telephone Jack / Outlet with face plates in				
	suitable modular PVC / MS box from				
	EPABX / Krone Tag Box to the work				
	stations and terminate the other on a 10				
	pair Krone module installed in a Krone Tag				
	box, complete with numbering of each cable				
	with Ferule and Telephone Connection				
	Chart (No seperate measurements for PVC				
	Conduits)				
-					
2	Telephone cables				
	Providing, laying and connecting PVC				
	insulated copper telephone cable, laid				
	through laid through 20 / 25 mm size, MMS				
	Grade PVC conduites of following sizes				
	including termination. (No seperate				
	measurements for PVC Conduits)				
a.	10-pair x 0.5 mm size Telephone cable,	Rmt	0.00		
	for MTNL / BSNL mains				
	Rate in words : -				
3	Telephone krone tag box				
	Providing and fixing of 20 pair Krone Tag	No	0.00		
	box / 10 pair Krone type connector module				
	housed in a Powder coated GI box with				
	lockable cover of suitable size including				
	termination complete with numbering of				
	each cable with Ferule and a Telephone				
	Connection chart.				
	Rate in words : -				
	F. TOTAL OF TELEPHONE SYSTEM				
G	DATA CABLING SYSTEM				
1	Data points	No	11.00		
I	Rate in words : -	INU	11.00		
	Supplying and laying D-Link / Molex /				
	Awaya / Amps make, Cat 6 cable for Data,	1	1		
	laid through 20/25 mm size, MMS Grade				
	laid through 20/25 mm size, MMS Grade PVC conduites and providing & terminating				
	laid through 20/25 mm size, MMS Grade PVC conduites and providing & terminating with RJ-45 Information Outlet Ports with				
	laid through 20/25 mm size, MMS Grade PVC conduites and providing & terminating with RJ-45 Information Outlet Ports with face plates in suitable modular PVC / MS				
	laid through 20/25 mm size, MMS Grade PVC conduites and providing & terminating with RJ-45 Information Outlet Ports with				
	laid through 20/25 mm size, MMS Grade PVC conduites and providing & terminating with RJ-45 Information Outlet Ports with face plates in suitable modular PVC / MS				
	laid through 20/25 mm size, MMS Grade PVC conduites and providing & terminating with RJ-45 Information Outlet Ports with face plates in suitable modular PVC / MS box from Server Rack/ Patch Panel/ Data				
	laid through 20/25 mm size, MMS Grade PVC conduites and providing & terminating with RJ-45 Information Outlet Ports with face plates in suitable modular PVC / MS box from Server Rack/ Patch Panel/ Data Switch to individual work stations &				
	laid through 20/25 mm size, MMS Grade PVC conduites and providing & terminating with RJ-45 Information Outlet Ports with face plates in suitable modular PVC / MS box from Server Rack/ Patch Panel/ Data Switch to individual work stations & terminating other end with RJ-45 connector				
	laid through 20/25 mm size, MMS Grade PVC conduites and providing & terminating with RJ-45 Information Outlet Ports with face plates in suitable modular PVC / MS box from Server Rack/ Patch Panel/ Data Switch to individual work stations & terminating other end with RJ-45 connector including numbering with ferule (<i>No</i>				
	laid through 20/25 mm size, MMS Grade PVC conduites and providing & terminating with RJ-45 Information Outlet Ports with face plates in suitable modular PVC / MS box from Server Rack/ Patch Panel/ Data Switch to individual work stations & terminating other end with RJ-45 connector including numbering with ferule (<i>No</i>				
	laid through 20/25 mm size, MMS Grade PVC conduites and providing & terminating with RJ-45 Information Outlet Ports with face plates in suitable modular PVC / MS box from Server Rack/ Patch Panel/ Data Switch to individual work stations & terminating other end with RJ-45 connector including numbering with ferule (<i>No</i>				
2	laid through 20/25 mm size, MMS Grade PVC conduites and providing & terminating with RJ-45 Information Outlet Ports with face plates in suitable modular PVC / MS box from Server Rack/ Patch Panel/ Data Switch to individual work stations & terminating other end with RJ-45 connector including numbering with ferule (<i>No</i>		12.00		
2	laid through 20/25 mm size, MMS Grade PVC conduites and providing & terminating with RJ-45 Information Outlet Ports with face plates in suitable modular PVC / MS box from Server Rack/ Patch Panel/ Data Switch to individual work stations & terminating other end with RJ-45 connector including numbering with ferule (<i>No</i> <i>seperate measurements for PVC Conduits</i>)		12.00		
2	laid through 20/25 mm size, MMS Grade PVC conduites and providing & terminating with RJ-45 Information Outlet Ports with face plates in suitable modular PVC / MS box from Server Rack/ Patch Panel/ Data Switch to individual work stations & terminating other end with RJ-45 connector including numbering with ferule (<i>No</i> <i>seperate measurements for PVC Conduits</i>) Supplying & laying Cat-6, RJ-45, 1 m.		12.00		
2	laid through 20/25 mm size, MMS Grade PVC conduites and providing & terminating with RJ-45 Information Outlet Ports with face plates in suitable modular PVC / MS box from Server Rack/ Patch Panel/ Data Switch to individual work stations & terminating other end with RJ-45 connector including numbering with ferule (<i>No</i> <i>seperate measurements for PVC Conduits</i>) Supplying & laying Cat-6, RJ-45, 1 m. length Data Patch Cords,		12.00		
2	laid through 20/25 mm size, MMS Grade PVC conduites and providing & terminating with RJ-45 Information Outlet Ports with face plates in suitable modular PVC / MS box from Server Rack/ Patch Panel/ Data Switch to individual work stations & terminating other end with RJ-45 connector including numbering with ferule (<i>No</i> <i>seperate measurements for PVC Conduits</i>) Supplying & laying Cat-6, RJ-45, 1 m. length Data Patch Cords, Make : D-Link / Molex / Awaya		12.00		
2	laid through 20/25 mm size, MMS Grade PVC conduites and providing & terminating with RJ-45 Information Outlet Ports with face plates in suitable modular PVC / MS box from Server Rack/ Patch Panel/ Data Switch to individual work stations & terminating other end with RJ-45 connector including numbering with ferule (<i>No</i> <i>seperate measurements for PVC Conduits</i>) Supplying & laying Cat-6, RJ-45, 1 m. length Data Patch Cords, Make : D-Link / Molex / Awaya	No	12.00		
	laid through 20/25 mm size, MMS Grade PVC conduites and providing & terminating with RJ-45 Information Outlet Ports with face plates in suitable modular PVC / MS box from Server Rack/ Patch Panel/ Data Switch to individual work stations & terminating other end with RJ-45 connector including numbering with ferule (<i>No</i> <i>seperate measurements for PVC Conduits</i>) Supplying & laying Cat-6, RJ-45, 1 m. Iength Data Patch Cords, Make : D-Link / Molex / Awaya Rate in words : -	No			
	laid through 20/25 mm size, MMS Grade PVC conduites and providing & terminating with RJ-45 Information Outlet Ports with face plates in suitable modular PVC / MS box from Server Rack/ Patch Panel/ Data Switch to individual work stations & terminating other end with RJ-45 connector including numbering with ferule (<i>No</i> <i>seperate measurements for PVC Conduits</i>) Supplying & laying Cat-6, RJ-45, 1 m. Iength Data Patch Cords, Make : D-Link / Molex / Awaya Rate in words : -	No			
	laid through 20/25 mm size, MMS Grade PVC conduites and providing & terminating with RJ-45 Information Outlet Ports with face plates in suitable modular PVC / MS box from Server Rack/ Patch Panel/ Data Switch to individual work stations & terminating other end with RJ-45 connector including numbering with ferule (<i>No</i> <i>seperate measurements for PVC Conduits</i>) Supplying & laying Cat-6, RJ-45, 1 m. Iength Data Patch Cords, Make : D-Link / Molex / Awaya Rate in words : - Supplying & laying Cat-6, RJ-45, 2 met Iength Data Patch Cords,	No			

SR. NO.	R ELECTRICAL WORKS FOR SANGLI- II B				
	ITEM	UNIT	QTY	RATE	AMOUNT
4	Patch panel				
a.	Supplying and Installing D-Link make,	No	1.00		
	preloaded, Cat-6, RJ-45, 16 Port Patch				
	Panel, complete with terminations &				
	numbering with ferule				
	Rate in words : -				
5	Supplying & Installing D-Link / HCL / iBall	No	1.00		
	make 12-U Networking Wall mounting				
	rack, complete with following mentioned				
	, I 6				
	accessories				
	* 2U Horizontal Cable Manager				
	* Power Distribution Unit / Power Strip of 6				
	Sockets				
	* Cooling Fans				
	* Cantilever Trays / Shelves				
	* Hardware Packet				
	Rate in words : -				
	G. TOTAL OF DATA CABLING SYSTEM				
н	MISCELLANEOUS WORKS				
1	Temperory Lightning supply & data				
	connectivity & Shifting of Network Rack				
1	Arranging temporary Power, data supply &	Job	1.00		
	Lighting for all agencies and for staff PCs at				
	work place . The rate shall include statutary				
	aproval from Local MSEDCL / Electrical				
	•				
	Inspectorate & other required satatutary				
	bodies, preparation of AS-BUILT drawings,				
	Testing of the installation & preparaition of				
	test report as required by statutary bodies.				
	Note: The rate to include cost of suitable				
	temporary Lighting for all areas as per				
	requirement during work.				
	H. TOTAL MISCELLANEOUS WORKS				
	H. TOTAL MISCELLANEOUS WORKS				
	BUY BACK of ITEMS				
	BUY BACK of ITEMS The Lightning fixtures, Fans and other				
	BUY BACK of ITEMS The Lightning fixtures, Fans and other unused electrical fittings, wires etc under				
	BUY BACK of ITEMS The Lightning fixtures, Fans and other unused electrical fittings, wires etc under Buy back including Dismentaling of old				
	BUY BACK of ITEMS The Lightning fixtures, Fans and other unused electrical fittings, wires etc under Buy back including Dismentaling of old wiring,Data ,telephone, Fitting fixtures &		-1.00		
	BUY BACK of ITEMS The Lightning fixtures, Fans and other unused electrical fittings, wires etc under Buy back including Dismentaling of old		-1.00		
	BUY BACK of ITEMS The Lightning fixtures, Fans and other unused electrical fittings, wires etc under Buy back including Dismentaling of old wiring,Data ,telephone, Fitting fixtures &		-1.00		
	BUY BACK of ITEMS The Lightning fixtures, Fans and other unused electrical fittings, wires etc under Buy back including Dismentaling of old wiring,Data ,telephone, Fitting fixtures & DB's Etc and disposing away from the site.		-1.00		
	BUY BACK of ITEMS The Lightning fixtures, Fans and other unused electrical fittings, wires etc under Buy back including Dismentaling of old wiring,Data ,telephone, Fitting fixtures & DB's Etc and disposing away from the site. The minimum reserve price is Rs. 5,000/- +		-1.00		
	BUY BACK of ITEMS The Lightning fixtures, Fans and other unused electrical fittings, wires etc under Buy back including Dismentaling of old wiring,Data ,telephone, Fitting fixtures & DB's Etc and disposing away from the site. The minimum reserve price is Rs. 5,000/- +		-1.00		
	BUY BACK of ITEMS The Lightning fixtures, Fans and other unused electrical fittings, wires etc under Buy back including Dismentaling of old wiring,Data ,telephone, Fitting fixtures & DB's Etc and disposing away from the site. The minimum reserve price is Rs. 5,000/- + applicble GST.		-1.00		
	BUY BACK of ITEMS The Lightning fixtures, Fans and other unused electrical fittings, wires etc under Buy back including Dismentaling of old wiring,Data ,telephone, Fitting fixtures & DB's Etc and disposing away from the site. The minimum reserve price is Rs. 5,000/- + applicble GST.		-1.00		
	BUY BACK of ITEMS The Lightning fixtures, Fans and other unused electrical fittings, wires etc under Buy back including Dismentaling of old wiring,Data ,telephone, Fitting fixtures & DB's Etc and disposing away from the site. The minimum reserve price is Rs. 5,000/- + applicble GST. H. TOTAL BUY BACK of ITEMS		-1.00		
	BUY BACK of ITEMS The Lightning fixtures, Fans and other unused electrical fittings, wires etc under Buy back including Dismentaling of old wiring,Data ,telephone, Fitting fixtures & DB's Etc and disposing away from the site. The minimum reserve price is Rs. 5,000/- + applicble GST. H. TOTAL BUY BACK of ITEMS TOTAL FOR ELECTRICAL WORKS				
	BUY BACK of ITEMS The Lightning fixtures, Fans and other unused electrical fittings, wires etc under Buy back including Dismentaling of old wiring,Data ,telephone, Fitting fixtures & DB's Etc and disposing away from the site. The minimum reserve price is Rs. 5,000/- + applicble GST. H. TOTAL BUY BACK of ITEMS		CGST		
	BUY BACK of ITEMS The Lightning fixtures, Fans and other unused electrical fittings, wires etc under Buy back including Dismentaling of old wiring,Data ,telephone, Fitting fixtures & DB's Etc and disposing away from the site. The minimum reserve price is Rs. 5,000/- + applicble GST. H. TOTAL BUY BACK of ITEMS TOTAL FOR ELECTRICAL WORKS GST				
	BUY BACK of ITEMS The Lightning fixtures, Fans and other unused electrical fittings, wires etc under Buy back including Dismentaling of old wiring,Data ,telephone, Fitting fixtures & DB's Etc and disposing away from the site. The minimum reserve price is Rs. 5,000/- + applicble GST. H. TOTAL BUY BACK of ITEMS TOTAL FOR ELECTRICAL WORKS		CGST		