

Corrigendum-3 to GeM Bid ref. no. GEM/2023/B/3840167 dated 17/08/2023 for Selection of Service Provider for Supply, Installation, Implementation and Maintenance of Queue Management System in Canara Bank

It is decided to amend the following in respect of the above GeM bid:

## a. GeM Bid Document, Bid Details (Bid End Date/Time, Bid Opening Date/Time, Page no. 1 of 8):

Description	Existing details	Amended details	
Bid End Date/Time	27-09-2023, 15:00:00	<u>03-10-2023</u> , 15:00:00	
Bid opening Date/Time	27-09-2023, 15:30:00	<u>03-10-2023</u> , 15:30:00	

SI. No.	Section/Annexure/ Appendix of GeM Bid	Clause No.	Existing Clause	Amended Clause
a.	Annexure 9- Scope of Work	A. Objective of the QMS Solution:	New Caluse	To analyse the transaction carried out by the customers and to migrate traditional/physical transactions to digital transactions.  Encourage customers to use online channels or self-service kiosks available.
b.	Annexure 9- Scope of Work	B. Bank intends the following features to be incorporated in the proposed Queue Management System	New Caluse	Application shall have the capability to generate token codes by using SMS, whatsapp, Missed call and also capable of using Geo fencing for the tokens generated by customer.
c.	Annexure 9- Scope of Work	B. Bank intends the following features to be incorporated in the proposed Queue	1.1 Self-service digital kiosk: Self Service Digital Kiosk machine with reasonably large and bright touch	1.1 Self-service digital kiosk: The self Service Digital Kiosk capable of generating digital token and also physical token for



		,	,	
		Management System	screen providing good interactive experience to customer that provides sign-ups with service lists, queries, instructions and relevant information to customers.	the customers who are visiting branch without a smart mobile handset.
c.	Annexure 9- Scope of Work	C. Compliance to Scope of Work	33. The Systems application should not store any data related to customer and only logs to be stored.	Clause stands deleted.
d.	Annexure 9- Scope of Work	C. Compliance to Scope of Work	23. The bidder would be responsible for timely applying/loading of all the software patches into all the Systems and other hardware if any during the warranty and AMC period. This job has to be done as a part of warranty and AMC support services without any extra cost.	23. The bidder would be responsible for timely applying/loading of all the software patches into all the Systems and other hardware if any during the warranty period. This job has to be done as a part of warranty without any extra cost.
e.	Annexure 9- Scope of Work	4.10 Additional Features Required	Booking a video call with Branch staff	Clause stands deleted.
f.	Section C - Deliverable And Service Level Agreements	11.Local support	11.6. Can be integrated with existing banks Ticketing tool/system as per banks requirements.	Clause stands deleted.
g.	Annexure-10 Technical Evaluation Criteria	1. Self-service digital kiosk	<ul> <li>Interactive touchscreen with 18.5 inch or higher screen size that can support a</li> </ul>	<ul> <li>Interactive touchscreen with 14 inch or higher screen size that can support a minimum of 15</li> </ul>





		T		
			minimum of 15 counters and	counters and support
			support	resolution
			resolution	1024*768 or
			1024*768 or	higher.
			higher.	The OS should be
			• The OS	Windows 10
			should be	Pro/13 or higher
			Windows 10 Pro	to ensure
			or higher to	compatibility
			ensure	with the banks
			compatibility	security
			with the banks	standards.
			security	
	*		standards.	
			The Digital	
			signage	
	Annexure-10 Technical Evaluation Criteria	Integrated Digital Signage	management server should	
			provide a user	
			interface to add	
			Foreign exchange	
			rates, term	
			deposit rates etc.	
			through	
			integration with bank's backend	Clauses stands
h.			system. The	deleted.
			system should	
			alternate	
			between rates	
			and other	
			promotional	
			content.  Should Provide	
			<ul><li>Should Provide for two level</li></ul>	
			feedback as per	
			Bank set design.	
	L		barn see design.	

All the other instructions and terms & conditions of the above  $\mbox{GeM}$  Bid shall remain unchanged.

Please take note of the above amendments while submitting your response to the subject GeM bid.

Date: 26/09/2023 Place: Bengaluru

Deputy General Manager

