NIT Ref. COHUB: P&E:DPJ:3410:2024-25 dated 02.07.2024

Notice Inviting Tender

ELECTRICAL WORKS IN **EXSITING** PREMISES OF HUMNABAD I BRANCH (KALABURAGI RO)

Location of the Branch/Office	HUMNABAD I BRANCH (KALABURAGI RO)
Eligibility of the contractor	Eligible Electrical Contractors empanelled with Circle Office: Hubballi
EMD	Exempted for Contractors Empanelled With Circle Office: Hubballi
Address for submission of sealed tenders	Circle Office: Hubballi
Last date & time for submission of sealed tenders	09.07.2024 up to 3:30 pm
Date & Time of opening of sealed tenders	09.07.2024 up to 4:00 pm
Payment terms	As per IBA norms.
Time limit for execution of work	30 days from the date of work order
Defect liability period	12 months after completion of work
Retention money towards defect liability period	3 % of final bill amount
Date of commencement of work	As per work order
Income Tax &/ other taxes	At applicable rate
Payment	After the completion of the work, as per procedure
Period for submitting final bill by	Within one month from the date of virtual completion of the
contractor	work
Liquidated damage for non completion of work in time	1% OF THE TENDERED AMOUNT per week and part thereof for the delayed period maximum of 10%.
Rates quoted by bidder	 I. The quoted rate should be inclusive of Cost of materials, transport, loading, unloading charges, cost of installation, all taxes (excluding GST), wastages, machinery, temporary works such as scaffolding, cleaning, overheads, profit, statutory expenses, incidental charges and all related expenses required for the completion of the work. II. Additional claims other than the quoted amount will not be entertained. III. The quoted rates shall be firm throughout the completion of the project
Insurance	Falls under scope of contractor.
Validity of submitted tender	90 days from the opening of tenders

The sealed tender must be dropped in tender box kept at the Circle Office within the above stipulated time. Tenderers / authorized representative are requested to be present at the time of opening. Canara Bank will not be bound to accept the lowest tender & reserves the right to reject any or all the tenders without assigning any reason thereof.

Signature of Bidder with seal

Page 1 of 16

🖔 ५०७ई९धर्ग सिंडिकेट Syndicate

NIT Ref. COHUB: P&E:DPJ:3410:2024-25 dated 02.07.2024

То
The Assistant General Manager, P & E Section, Canara Bank Circle Office, Hubballi - 580030.
Dear Sir,
Sub: Electrical works in the premises of HUMNABAD I BRANCH (KALABURAGI RO)
I/We hereby declare that I/ We have carefully gone through the conditions laid down in the Notice Inviting Tender, General notes, General Conditions of Contract, Special conditions, Schedule of approximate quantities and rates, Form of Agreement, General Specification, Approved manufacturers/natural source of materials Technical Specifications of schedule of quantities, and clearly understood all the same and on the basis of the same I/ We have quoted our rates in the Schedule of Quantities(i.e. BOQ) attached with the tender documents.
I / We have enclosed herewith a Demand Draft ofBank & No dated favoring Premises & Estate Section, Circle Office, Canara Bank, Hubballi for payable at Hubballi, towards E.M.D.
In the event of this Tender being accepted I/ We agree to enter into the agreement and submit the declaration on requisite non-judicial stamp papers as and when required and execute the contract according to your form of Agreement etc., in default whereof, I/ We do hereby bind my-self / ourselves to forfeit the aforesaid deposit.
I / We further agree to complete the work included in the said schedule of quantities within specified time from the date of the work order issued to commence the same.
I / We agree to pay all taxes(except GST), insurance charges as prevailing from time to time, on such items for whom same is to be levied by/ for the government, and the rates quoted by me / us are inclusive of all the same.
Once again knowing fully well the contents of this tender, I / We sign this tender on thisDay of month of 2023.

Signature of Bidder with seal

Page **2** of **16**

NIT Ref. COHUB: P&E:DPJ:3410:2024-25 dated 02.07.2024 SPECIAL CONDITIONS & INSTRUCTIONS FOR THE GUIDANCE OF TENDERER

- 1. The works at the branch/Office premises need to be executed duly taking care of the local bye laws/regulations of the local authorities like Police Dept, Water supply and Sanitary Board, Electricity Board, Central/ State Labor Commission etc. Necessary permissions, licenses, temporary connections if needed shall be obtained by the Contractor and Bank shall not be held responsible for any lapses.
- **2.** The works shall be executed duly taking care of all safety measures and Bank shall be fully indemnified for any 3rd party claims, casualties, mishaps, loss of property etc. related to the undertaking & the execution of the subject work.
- **3.** GST TAXES: As per the new Goods & Services Tax (GST) structure, the tenderers are required to have GSTIN number & Tenderers without GSTIN number are not eligible to participate in the tender process. The details as per the Annexure I attached are to be mandatorily furnished along with the tender. The eligible tenderers are requested to quote the GST separately. The taxes will be deducted at source as per the statutory requirements. While raising the bill, it shall be mentioned as bill to Canara Bank and our Bank's GSTIN number to be mentioned.
- 4. CANARA BANK'S KARNATAKA STATE GSTIN NUMBER is 29AAACC6106GIZX.
- 5. Tenderers are requested to submit the EMD in the form of crossed Demand draft only on any of the nationalized Banks/State Bank Drawn in favor of Premises & Estate Section, Circle Office, Canara Bank, Hubballi, payable at Hubballi. Tender with EMD in any other forms shall be rejected.
- **6.** Tenderers are expected to visit the site before quoting the rates and should satisfy themselves as to the nature and conditions of work facilities available etc.
- **7.** The tenderers are required to examine the enclosed general plan, tender form and conditions mentioned in the tender.
- **8.** The tenderers should quote the rates in the figures. The amount for each item should be worked out and the requisite totals shall be given. The total amount shall be written both in figures and words.
- **9.** The rates quoted in the tender shall be for measured finished works and shall include all changes including cost of materials, transportation, freight charges etc. complete.
- **10.** The work is to be completed within stipulated time.
- **11.** The successful tenderers shall give all necessary personal attention to the work during the process of work and also until the expiry date of "Defects Liability Periods" which is 12 months after the date of completion of the work.
- **12.** The bank reserves the right to reject any portion of the work or material, which is, found unsatisfactory not up to the standard.

Signature of Bidder with seal

Page 3 of 16

NIT Ref. COHUB: P&E:DPJ:3410:2024-25 dated 02.07.2024

- **13.** A retention amount of 3% of the bill amount will be retained from the final bill and shall be paid to the successful tenderers after the defects liability period is over and upon the certification of the engineer.
- **14.** Income tax deduction at prevailing / appropriate rates will be retained from each running bill which will be certified by the income tax authorities and a receipt will be given to the contractors.

CONDITIONS OF CONTRACT

- **1.** If any additions and alterations are found necessary, the tenderers will have to do the same within the tendered rates with the prior approval of the bank.
- **2.** The contractor shall employ adequate labor to complete the work within the scheduled time and shall make his own arrangements for housing his materials etc.
- **3.** The contactor shall have to make his own arrangements to house his labor and staff for their services.
- **4.** All tendered rates shall include for the cost of materials, labor, supervision, tools, plant, transportation, contingencies, duties, breakages, wastages, sundries, scaffolding, etc complete.
- **5.** All instruction regarding the execution of the work shall be received from the officials through consultant/architect only. Any other instructions issued directly to the contractor by anyone else shall not be binding on the bank.
- **6.** The bank shall have the power to omit or cancel any item of work without assigning any reason whatsoever and no claim for compensation for damage will be entertained for such omissions and cancellation.
- **7.** The contactor shall maintain satisfactory progress of work as well as maintain a desired level of workmanship. If in the opinion of the bank the progress is unsatisfactory and / or the workmanship is unsatisfactory then the bank shall take possession of the work within 7 days to that effect. The bank shall then complete the entire work and rectify all the defects at the contractor's cost and consequences.
- **8.** In case the bank is not satisfied with the quality of materials used by the contractors, they reserve the right to direct the contractor to procure such materials supplied from agencies they deem fit.
- **9.** The contactors is to be responsible for clearing any, all dirt and rubbish and superfluous materials as they accumulate and everything unnecessary and to leave the premises in a clean and orderly condition on completion and fit for occupation. No extra payment shall be made for doing this.
- **10.** Any work which is not approved by the bank shall have to be removed within 24 hours from the time of order and shall have to be redone by the contactor at his own cost and this cost will be borne by the contractor.

Signature of Bidder with seal

Page 4 of 16

NIT Ref. COHUB: P&E:DPI:3410:2024-25 dated 02.07.2024

- **11.** No deviation whatsoever for any reason will be permitted, however, if any deviation becomes necessary, the same should be brought to the immediate notice of the bank and written approval must be obtained for such deviation before proceeding with the execution of work.
- **12.** The bank has got the right to supply any materials required for the work and cost of materials so supplied will be deducted from the bills of the successful contractor.
- **13.** The contactor shall be responsible for safe custody of his materials/materials issued to him by the bank till they are used for the work. He shall make his own arrangements for the safe custody and proper storage and preservation in sound condition till the same are actually used in the work.
- **14.** The tenderers shall extended full co-operation to the other contactor /agencies like electrical, air conditioning, Fire & CCTV, LAN etc who are also working for the same project and co-ordinate with them in finishing the awarded work within the stipulated time given.
- **15.** The contactor shall have a competent supervisor on the site for all the time.
- **16.** For any new item the rate will be fixed by the bank as per prevailing fair market rate and labor which will be binding on the contactor.
- **17.** In case the brand of materials mentioned in the tender is not available in the market, the alternate brand shall be used only after prior written approval of the bank.
- **18.** The contactor shall be given a single electrical connection at work site. Electrical charges for consumption by the contactor will be charged separately by the bank, contractors have to provide sub-meter.
- **19.** The successful tenderers shall not anticipate any financial help from the bank in the form of adhoc payment / advance for mobilizing and for starting the work.
- **20.** The contractor should strictly adhere to the specifications and make of the materials, mentioned in the annexure. Any deviation will summarily reject the items of the work and not qualify for payment.
- **21.** The successful tenderers shall be ready to carry out works between non banking hours and even at nights and holidays. The contractor should sign all the pages of the document and the same shall be submitted to us.

Acceptance of contractor for Labor laws

- ➤ The successful tenderers / Contractor shall carefully and diligently implement the provisions of the Contract Labor Act & Contract Labor Rules.
- ➤ The Bank shall be entitled to deduct from the Contract Consideration, any such amount which the Bank has to pay in accordance with the Contract Labor (Regulation & Abolition) Act 1971 and Workmen's Compensation Act, in the event of the Bank having to disburse compensation / effect any payment under the Contract Labor Acts / Rules.

Signature of Bidder with seal

Page **5** of **16**

🖔 มoผิಕೇಟ್ सिंडिकेट Syndicate

NIT Ref. COHUB: P&E:DPJ:3410:2024-25 dated 02.07.2024

- ➤ Please note that as per rule 81(1) of Contract Labour (R&A) Rules, 1971, it is mandatory on the part of the Contractor to the display the notice containing the following details at prominent place at the work site.
 - a) Rates of wages.
 - b) Hours of work.
 - c) Wage periods.
 - d) Dates of payment of wages.
 - e) Names & addresses of the Labor Inspectors having jurisdiction &
 - f) Date of payment of unpaid wages.

The notice containing the above details shall be displayed without fail at the work site.

- 1. The Contractor shall not engage any workmen for wages, less than the minimum wages prescribed under the notification issued by the Central Government.
- 2. The contractor should follow all labor laws/guidelines laid down by central /state government from time to time.
- 3. ABNORMALLY HIGH AND LOW RATED ITEMS:

For item rate tenders if, the rates quoted by the lowest bidder for certain items of the Bill of Quantities of the tender are found to be abnormally high or low in comparison to the market rate analysis of the item done by the Architects/Bank and or in comparison to Architect/Bank's method of working out market rate justification for the items, the same shall be governed as under in order to avoid financial loss to the Bank in the event of default of Bidders.

- i. For abnormally high rated items (AHR), the progressive payment shall be 80% (eighty percent) of the payment due to the Bidder against execution of the AHR item. The balance withheld 20% payment shall be released after 75% of total value of the original contract is complete in financial terms or this 20% withheld payment can be released to the Bidder on submission of an unconditional bank guarantee of equivalent amount in the proforma of Bank. Further deviation limit for AHR items shall be nil on plus side and Bank reserves the right to restrict, substitute or not execute the AHR items during execution. The decision of the Architect/Bank's Engineer in this regard shall be final and binding on the Bidder.
- ii. For abnormally low rated (ALR) items the Bidder shall submit Bank Guarantee of difference in total of amount of ALR item(s) and the total amount of corresponding items at market rate of the Architect/Bank. This bank guarantee shall be valid till completion of the project. In exceptional circumstances, the amount of Bank Guarantees (BG) may be reduced or BG released earlier than completion period if, in view of Architect/Bank's Engineer, all ALR items as provided in the contract are executed as per terms of contract and/or not required to be executed.

Notwithstanding what is contained in Para i) & ii) above, the provisions of Para (i) and (ii) shall not be applicable on tenders invited on percentage rate basis.

Signature of Bidder with seal

Page 6 of 16

NIT Ref. COHUB: P&E:DPJ:3410:2024-25 dated 02.07.2024

The decision of the Bank on identification/ marking of AHR and ALR item are final and binding on the Bidder. In case the Bidder do not agree for furnishing of Bank Guarantee as above towards ALR items, at the time of award of works, the EMD/Performance guarantee of the Bidder shall be forfeited and decision of Architect in this regard shall be final and binding on the Bidder.

CERTIFICATE

I/ WE HAVE READ, FULLY UNDERSTOOD THE ABOVE MENTIONED REGULATIONS OF LABOUR LAWS/GUIDELINES AND ACCEPT THE SAME IN TOTO. I ALSO UNDERTAKE TO FOLLOW ALL LABOUR LAWS/GUIDELINES LAID DOWN BY CENTRAL /STATE GOVERNMENT FROM TIME TO TIME & INDEMNIFY THE BANK AUTHORITIES.

ANNEXURE I (TO BE MANDATORILY FURNISHED)

1.	Name of the Contractor under the Contract Labor (Regulation and Abolition) Act, 1970 (37 of 1970) (if applicable)	
2.	LIN / PAN No	
3.	Email Id	
4.	Mobile No.	
5.	No. & date of Certificate of Registration/ License*	
6.	Name of Person in charge of work	
7.	LIN / PAN No. of the person in charge of work	
8.	Email Id of the person in charge of work	
9.	Mobile No. of the person in charge of work	

^{*} Please strike off whichever is not applicable



NIT Ref. COHUB: P&E:DPJ:3410:2024-25 dated 02.07.2024 APPROVED LIST OF MATERIALS

SL NO	ITEMS	MAKES			
1	MCCB / MCB - C Curve	Legrand, L & T, Merlin Gerin, Hager, GE, C&S,			
	(All 10 kA Category)	Schneider Electric.			
2	ISOLATOR	LEGRAND			
3	SWITCHES, SOCKETS (MODULAR) &	LEGRAND (MYRIUS / ARTEOR) / ANCHOR-			
	MODULAR BOX	WOODS//SCHNEIDER (ZENCELO), Anchor			
		Panasonic – Vision, M,K India Wraparound			
4	CHANGE OVER SWITCH	L&T/C&S/HPL			
5	INSULATED WIRES (FRLS) CABLES	ANCHOR / FINOLEX / HAVELS/RR			
		Kabel/Polycab			
6	CABLE GLANDS & LUGS	SIEMENS			
7	POWER CABLES	Finolex/ Polycab /HAVELS			
8	LIGHT FITTINGS	HAVELL'S /WIPRO/ PHILIPS			
9	FAN	(CROMPTON / HAVELL'S ') (WHITE			
		COLOUR)			
10	16" WALL FAN	ALMONARD/ CROMPTON/HAVELLS/ USHA			
		(WHITE COLOUR)			
11	12"/9" EXHAUST FAN	CROMPTON / ALMONARD with double ball			
		bearing only			
12	DBS	Hager, Merlin Gerin, Legrand, GE, C & S			
13	TIMER	LEGRAND Model: 649 915 / SIEMENS			
14	ELECTRONIC REGULATORS	ANCHOR ROMA			
15	CASING CAPPING	MODI'S, GEMINI with ISI MARK			
16	PVC conduit Pipe	Avon Plast, Precision, Polycab, G.M with ISI			
	White/grey colour FRLS pipes only.	mark			
17	G.I. B-CLASS PIPES (ISI)	ITC, PRAKASH			
18	Telephone Wires/Cables	Delton, Finolex/ R.R Kabel (0.5 mm dia)			
19	MEASURING INSTRUMENTS	A.E., IMP, MECCO, SIEMENS			
20	DOUBLE RJ 11	ANCHOR ROMA / LEGRAND			

NOTE: Any brands indicated under the items specifications in the Bill of quantities will prevail over the above indicated makes. Apart from the above makes, any further equivalent make as approved by the Bank, can also be used with prior permission from the Bank and the consultant. Samples are to be approved by Bank and the Consultant if any.

COLOUR CODING: Color coding of wires to be followed strictly and all the DB boards to be named RED - Phase, BLACK - Neutral, GREEN - Earth

WARRANTY OF ABOVE ITEMS to be specified

Signature of Bidder with seal

Page 8 of 16



ি ১০টিক্টা মিভিकेट Syndicate NIT Ref. COHUB: P&E:DPJ:3410:2024-25 dated 02.07.2024

Certificate to be submitted by the contractor on completion of works

Format of Installation Test Certificate

(1	be submitted by the contractor on completion of works)
	his is to certify that work is carried out confirming to IE rules and code o ractice.

	This	is to certify that work	is carried out confirming to I	E rules and code of
1	pract	tice.		
II	Test	report is under		
	а	Insulation resistance	e test	
		R-N	M Ohms	
		Y-N	M Ohms	
		B-N	M Ohms	
	b	Load test		
				15
		5 A-1000 W	power point	minute 15
		15 A-3000 W	power point	minute
	С	Earth resistance for	each electrode	
		1		ohm
		2		ohm
		3		ohm
		4	-N-E Volts	
				Yes /
	d	Wiring continuity to	est	No
				Yes /
	e	Earth continuity tes	t	No
	f	Certificate of make:	s of material used in the work	
	g	Circuit diagram		
		Certified that the el	ectrification work has been ca	arried out under the
	h	supervision of licen	sed electrical supervisor	
		Certified that the ea	arthing plate / pipe has been v	verified and placed at
	i i	correct depth confi		

Signature of Electrical Supervisor Name:


License No.

Signature of Bidder with seal

Page 9 of 16



NIT Ref. COHUB: P&E:DPJ:3410:2024-25 dated 02.07.2024





🖔 ५०७ ईंधर्ज सिंडिकेट Syndicate

NIT Ref. COHUB: P&E:DPJ:3410:2024-25 dated 02.07.2024

21) !					
Sl.No 1	Description Supply, Installation, Testing & Commissioning of Distribution Boards recessed in walls/partitions, complete with MCBs/ Bus bars and interconnections. No fabricated DBs shall be allowed. Only DBs of specified makes as per list of materials shall be used(DOUBLE DOOR IP43 Type)	Unit	Qty	Rate	Amount
A	Main DB - 8 Way VTPN MCB DB (1) 100A MCB -1No (2) 32A TP -1 (3)63A TP -1 (4)40A TP -2 (5)25/40A ,SP, MCB-8	Nos	1		
В	AC DB -4WAY VTPN DB (1) 63A TPN-1 (2) 25 SP -12	Nos	1		
С	Lighting DB DB -4WAY TPN DB (1) 32A TPN-1 (2) 10/16A SP -12	Nos	1		
D	UPS DB DB -8WAY SPN DB (1st DB FOR DATA RACK ,CCTV ,FIRE & Security ststem 2nd DB Computer points) (1) 32A DP-1 (2) 6/10/16A SP -6	Nos	2		
E	Supply & Installation of 32 A TPN MCB with suitable METALLIC enclosure(UPS INPUT)	Nos	3		
F g	Supply & Installation of 100A 4 Pole Change over switch Supply and fixing of 25A/ 20A DP MCB WITH INDUSTRIAL SOCKET on a suitable metal box for power supply to A/C units including all interconnections as required near the proposed AC locations at 4.5ft from the floor level.	Nos	6		
2	Supply & Laying of following 1100V grade armored cable having sector / circular shaped insulated cores, laid up, PVC tape wrapped inner sheathed, GI strip / wire armored and overall extruded PVC sheathed confirming to IS: 7098, laid along with 2 Runs of 12 SWG GI Wire on wall or ceiling using GI clamps and spacers as per route shown at site and further as directed by Bank / Architect	NOS	0		
Α	5CX 10 Sq mm, CU cable along with 2 Runs of 12SWG GI Wire (Main Panel to DB)	Rmt	20		
В	4CX 10 Sq mm, CU cable along with 2 Runs of 12SWG GI Wire (Mains panel to UPS)	Rmt	45		
3	Supply & Wiring with Flame Retardant Insulated PVC copper wire as per grade IS 994for Circuits, Computer point, Power points within 2mm thk PVC conduits with necessary accessories and with proper clamps and to be concealed below the false ceiling. It comprises as follows:-				
A	2Runs of 4Sqmm copper wire+ 1x 2.5 Sq mm copper wire in PVC conduit (MDB to Acs	Rmt	250		
В	2Runs of 6Sqmm copper wire+ 1x 2.5 Sq mm copper wire in PVC conduit (UPS output to SPN DB)	Rmt	120		
С	2Runs of 2.5 Sqmm copper wire+ 1x 1.5 Sq mm copper wire in PVC	Rmt	250		

Signature of Bidder with seal

Page **11** of **16**



। ১০৪ইংগ্রু सिंडिकेट Syndicate NIT Ref. COHUB: P&E:DPJ:3410:2024-25 dated 02.07.2024

	conduit (UPS circuits)				
D	Supplying and laying 3 CX 2.5Sq.mm 1100V grade PVC insulated				
	Flexible cable along with one run of 12SWG GI earth wire in PVC				
	pipes run on wall/ Ceiling etc as required. (Raw power ckts)	Rmt	250		
E	EMERGENCY LIGHTING(UPS SUPPLY)				
	Supply & laying of 3 core 1.5 sq mm copper flexible cable in a				
	suitable FRLS PVC pipe for emergency lighting. The scope of work				
	includes supply & fixing of 2A DP MCB in a suitable enclosure.No of				
	points :One primary point & two secondary points. The scope of				
	work extends to supply & fixing of 3 no of square type 15 watts				
	recess mounted LED lights also	Nos	3		
4	LIGHT & FAN POINT WIRING				
	Supply and wiring for Primary light point with 2Runs of 1.5sq.mm +				
	1 Run of 1.5 Sqmm (Earth) 650V grade PVC insulated Copper				
	Conductor multi strand wires in heavy gauge 20/25mm dia PVC				
	conduit concealed in wall or with suitable width casing and				
	capping of approved quality along with required accessories when				
	laid on ceiling / below work stations and fixing of 5 Amp Modular				
	type switch in anodised GI box complete with front plate, supplying				
	and fixing 3way ceiling rose or straight / slant batten holder				
	including interconnections required. The rate shall include circuit wiring with 2 runs of 2.5sq.mm multi strand copper conductor wire				
	& 1 run of 1.5sq.mm wire for earth in suitable size heavy gauge				
	25mm dia PVC conduit from DB to switch & switch board to switch				
	board, ceiling rose and angle holders for cfl light fixtures all				
	complete				
Α	Primary points	Nos	35		
В	Two light point controll	Nos	12		
C	Supply and installation of 6A modular socket with a switch in the	1103	12		
	above modular switch boards	Nos	8		
D	Wiring for the wall mounting fans from the nearest switch board	1103			
	with 1.5sqmm 650V grade multi stranded PVC insulated copper				
	wire in PVC Conduit and all interconnections as required including				
	the supply and fixing of 6A modular socket near the wall mounted				
	fan and 6A switch in the near switch board below fan as required.	Nos	12		
Е	Supply and wiring above but for ceiling fan point				
	including GI box and 5 Amp. Control switch, 100W step type				
	Electronic fan regulator etc	Nos	4		
f	Supply and fixing of 16mm Fan Anchor or S Hook	Nos	4		
g	Supply and fixing of Celling fan Down rod	Nos	4		
5	MODULAR SOCKETS FOR UPS & RAW POWER			· · · · · · · · · · · · · · · · · · ·	
Α	Supply and fixing of 3 nos. 6A sockets with 1 no 16A switch fixed				
	on a suitable module metal box and white front plate (Modular				
	type) including all interconnections as required(switch shall be				
	fixed above the table with suitable modular front plate /box and				
	sockets shall be fixed below the counters) conforming to IS 694				
	(with latest amendments) with all fixing materials and accessories,				
	interconnections complete as required for the UPS power sockets.				
	(DB to work stations Primary point)		9		
В	PRIMARY POINT: RAW POWER				
	Supply and fixing of 1 no of 16A socket with 1 no of 16A switch				
	on suitable Modular metal box and modular front plate conforming	NI.	_		
	to IS 694 (with latest amendments) with all fixing materials and	Nos	5		

Signature of Bidder with seal

Page **12** of **16**



🖔 ५०७ ईंधर्ज सिंडिकेट Syndicate

NIT Ref. COHUB: P&E:DPJ:3410:2024-25 dated 02.07.2024

	accessories, interconnections complete as required for the UPS/		<u>-</u> 	
	raw power sockets etc			
С	Supply and fixing of 1nos. 16A socket for AC	Nos	6	
D	Supply and fixing of 1nos. 16A socket with 1 no 16A switch fixed			
	on a 3 module metal box with suitable 3 pin top and white front			
	plate (Modular type)including all interconnections as required for			
	locker, safe room, Record room/Stationary room	Nos	5	
E	Supply and fixing of ding-dong calling bell in BM chamber			
	INCLUDING POINT WIRING COMPLETE as per direction of Bank	Nos	1	
6	LED LIGHT FIXTURES (COMMERCIAL TYPE ONLY) /FANS			
Α	CEILING FAN:-			
	supply & Fixing of 600mm sweep 5 star High speed ceiling fan			
	with electronic step regulator in suitable locations as required. And Supplying of			
	double anchor fastener hooks and down rods .			
	Complete in all respects as directed by Bank. Ref Model:			
	Crompton Greaves high speed model (or) equivalent in			
	other approved make	Nos	4	
В	WALL MOUNTING FANS			
	Supply and Fixing of 18 inch Metal body & Blades wall mounted			
	fans with 3 pin plug top, fan body should be earthed if 3 pin socket			
	not available in the market, Make: Storm model in CG or			
	equivalent	Nos	12	
С	SUPPLY & FIXING OF EXHAUST FANS (Havells Turboforce or			
	equivalent)Supply & fixing of 300 mm, 1400 RPM metal body double			
	bearing exhaust fans in the UPS / rest room . The scope of work includes point wiring & making provision in the wall for installation			
	of exhaust fans and bring back to original finish	Nos	3	
D	Supply & Installation of 33/34W 2X2 LED Light fixtures (Havells -	1103	,	
	VENUSNEOHE2X2PLR34WLED8XXS or CROMPTON:			
	LCTLRNE-36-FO-CDL or Philips RC 375B30S 6500K or			
	Equivalent models in other approved makes) including cost and			
	conveyance of all materials, taxes and all labor charges etc.,			
	complete. Weight of the light should not be on the grid/ Gypsum			
	ceiling. light has to be fixed with the help of GI/chain wires and to			
	the anchored to the ceiling	Nos	17	
E	Supply & Installation of 15W LED down light fixture. (Havells:-			
	Integra NEO15W, 857 CROMPTON: LCDRQ-15-CDL/LCDRO-15-CDL or DN296B LED15S 6500K in Philips or equivalent models in			
	other make) including cost and conveyance of all materials, taxes			
	and all labor charges etc., complete	Nos	20	
F	Supply and Installation of 20W Batten LED light fixtures	1,103	20	
•	SURFACE type with all interconnections and fixing arrangement as			
	required. (LUMILINEBS18WLED857SPCWH - Havells or BN021-			
<u></u>	21S in Philips or CROMPTON: LDL-20-CDL or equivalent)	Nos	10	
G	Supply & installation of 1 KW analog timer with lighting circuit			
	switching contactor in suitable M.S. Box for branch and e-lounge			
	sign board	Nos	1	
7	TELEPHONE CABLING			
Α	Supply, laying and connection of high Conductivity Solid Annealed			
	Bare Copper industrial 2 Pair 0.5 sq mm dia Telephone Cables			
1	with High Density Polyethylene Insulation, Paired, Polyester and	Nos	6	

Signature of Bidder with seal

Page **13** of **16**



🖔 มoผิಕೇಟ್ सिंडिकेट Syndicate

NIT Ref. COHUB: P&E:DPJ:3410:2024-25 dated 02.07.2024

	NIT Ref. COHUB: P&E:DPJ:3410:2024-25 dated 02.0	/.2024	f	
	Sheathed with High Oxygen Index, Fire Retardant, PVC Compound,			
	Grey Outer Sheath generally conforming ITD Specification. the			
	scope of work inclusive of all fixing accessories & laying in a			
	suitable ISI medium PVC conduit. The scope of work extends to			
	Supply and Fixing of modular type RJ11 Telephone outlet with			
	anodized GI box and front plate complete as required			
В	Supply, installation, testing & commissioning of 20 PairTelephone			
	Krone DB in an MS powder coated enclosure in suitable location	Nos	1	
8	EARTHING			
Α	COPPER EARTHING:			
	Providing independent earthing for sophisticated electronic			
	equipment with 600 mm x 600 mm x 3.5 mm thick copper plate			
	rigidly fixed to 40 mm dia G.I. pipe of 3 mtr length connected with			
	reducer providing .Gl. funnel with wire mesh as per national			
	electric code including C.C. Chamber of size 400 mm x 400 mm x			
	400 mm covered with RCC slab filling with salt and charcoal giving			
	earth connection from electrode copper strip 2 runs of 50 mm x 6			
	mm x 3000 mm length with all accessories and labour charges			
	complete, as per IS specifications 732/1982 (Part II)	Nos	2	
D		1103		
В	GI EARTHING:			
	Providing independent earthing for important equipment with 40			
	mm dia "B" class 2.5m long G.I pipe and 19mm dia "B" class G.I			
	pipe of 0.3 mtr. Long connected with reducer providing G.I. funnel			
	with mesh enclosed in C.C. Chamber of 400mm x 400 mm x 400 mm			
	with RCC slab cover duly providing staggered holes filling with salt			
	and charcoal from the bottom of the pipe giving earth connection			
	from electrode through G.I. strip 2 runs of 50 x 6 mm x 3000 mm			
	length with all accessories and labour charges complete, as per IS			
	specifications 732/1982 (part II)	Nos	1	
С	Supply and laying of 8SWG Cu insulated Wire in 20mm dia rigid	1103	'	
L .				
	pvc conduit For Body	Rmt	50	
D	Supply and laying of 8SWG GI insulated Wire in 20mm dia rigid			
	pvc conduit For Body			
	•	Rmt	50	
E	Supply & Laying of 100mmX 25mmX 5mm Copper strip with			
	supporting insulator and holes	Non	4	
		Nos	1	
F	Supply & fixing of metal 32 A, 415 Volts Bus Bar chamber	Nos	1	
G	Supply & laying of 1nos6/16A Socket and 1nos 16A switch			
	(Rawpower point switch and socket to be installed ina metal box).			
	The scope of work extends supply of 3 meter length of flexible			
	3core 2.5sqmm multi core copper cable one end connected to plug			
	top 16A and the other connected to the SB inside and a suitable			
	hook arrangment as required for hanging the cable required for			
	Record rooms & Safe room, LOCKER room, Strong room, stationary			
		No.		
L	room (Independent Circuits)	Nos	1	
Н	Charges for making and submitting neat and clean computerised			
	Electrical Drawing of the Branch indicating SLD of the Branch,			
	indicating DB, switch boards, etc along with proper numbering and			
	indicating power flow and laminating the same.			
	וויטוכמנוויב אטייבו ונטיי מווט נמווווומנוווצ נווב זמוווב.	Nos	1	
9	Supplying and installation of flush/surface mounting of 250 mm x			
′				
	150 mm x 100 - 150 depth power supply indicator box with hinged			
	door and knobs/screws for closing the door fitted with approved			
	make bright colour power supply indicators of Red, Yellow and	Nos	1	
-				

Signature of Bidder with seal

Page **14** of **16**



NIT Ref. COHUB: P&E:DPJ:3410:2024-25 dated 02.07.2024

	Blue colour complete with all internal wiring as per requirements.		<u></u>	
10	Supplying and laying of (2 x 2.5 + 1 x 1.5 sq mm) FRLSH insulated copper conductor wires of approved make in 19/20 mm dia medium gauge rigid PVC conduit pipe with all accessories for providing any additional UPS power supply circuits if required			
	any.	Mtr	70	
11	Supply and fixing of 2Pole Metal Enclosure with 6A DP MCB for RYB Light Indicator control	Nos	3	
	Total for Electrical Works - Part A Excluding GST			
	AC Works - PART B			
1	Supply of following INVERTER TYPE AC unit along with 3 Mtrs Refigerant piping & cabling, irrespective of the number of circuits & stand for the condensing unit			
	(Make: - Voltas / Blue Star / Carrier / Hitachi) (Enegery Rating : Minimum Three Star Rating)			
a	1.0 TR SPLIT AC UNIT	Nos	2.00	
b	1.5 TR SPLIT AC UNIT	Nos	-	
С	2.0 TR SPLIT AC UNIT	Nos	1.00	
d	1.0 TR CASSETTE AC UNIT	Nos	-	
е	2.0 TR CASSETTE AC UNIT	Nos	2.00	
f	3.0 TR CASSETTE AC UNIT	Nos	-	
2	Installation, Testing & Commissioning of following INVERTER TYPE AC unit along with 3 Mtrs. Refigerant piping & cabling, irrespective of the number of circuits & stand for the condensing unit (Suction line to be insulated with elastomeric nitrile rubber tubular insulation of 9mm thickness adhesive & joints sealed with black monsoon tape). Rate quoted should be inclusive of charges for core cutting and closing the same with sealant with smooth finish. (Make: - Voltas / Blue Star / Carrier / Hitachi) (Enegery Rating: Minimum Three Star Rating)			
a	1.0 TR UNIT	Nos	2.00	
b	2.0 TR UNIT	Nos	-	
С	1.5 TR UNIT	Nos	1.00	
d	1.0 TR CASSETTE AC UNIT	Nos	-	
е	2.0 TR CASSETTE AC UNIT	Nos	2.00	
f	3.0 TR CASSETTE AC UNIT	Nos		
3	SITC of digital voltage stabilizer of suitable capacity for Air-	Nos		

Signature of Bidder with seal

Page **15** of **16**



🖔 ५०७ ईंधर्ज सिंडिकेट Syndicate

NIT Ref. COHUB: P&E:DPJ:3410:2024-25 dated 02.07.2024

	Conditioners		5.00	
4	SITC of 12.5 Sqmm and 6.25 Sqmm dia copper refrigerant pipe with with Foam insullation between indoor and outdoor units, with breaking of wall wherever required for Split Air Conditioners	Rmt	35.00	
5	SITC of 19/25 mm PVC conduit pipe to be used as a drain water pipe. Through holes as made above	Rmt	35.00	
6	Supply and Laying of electric control FRLS cable of 2.5 Sqmm	Rmt	40.00	
7	SITC of L shape / suitable shape M S frame stand for mounting outdoor units on wall / roof, complete with all fixing hardware.	Nos	5.00	
8	SITC of wall mounted Digital Cyclic Timer with 30A rating, time setting from 1hour to 12 hours, suitable for two A/c's with LCD display. Make: RMG automation, Dynamic Micro Tech (2 Hours on 2 Hours Off)	Nos	1.00	
	Total for Air Conditioning Works - Part B Excluding GST			
	Grand Total Part A + Part B Excluding GST			

Note: 1. Bank is at liberty to split the works for Part A & Part B

2. Incomplete Tender will out rightly be rejected.