GA Section, Telephone: 040-27725221 Circle Office, Canara Bank, 040-27725223

#10-3-163 & 10-3-163/A.

Plot No.85, Beside Rail Nilayam,

Secunderabad -500026

E-mail: pecohyd@canarabank.com

To,

M/s.

Notice Inviting Tender

WORK: Electrical & Data cabling works in the premises of WARDHANNAPETA BRANCH (New)

(MCW)		
Location of the Branch/Office	Wardhannapeta, Telangana- 506 313.	
Last date for submission of quotation	03.10.2024 up to 3:00 pm	
Date & Time of opening quotation	03.10.2024 up to 4:00 pm	
Tender Application Fee	Rs.250/ The application Fee shall be submitted in the form of DD obtained from a nationalized Bank Drawn in Favor of Canara Bank, Circle Office, Hyderabad payable at Hyderabad. The tenders without Application fee will be rejected.	
Earnest Money Deposit (EMD)	 RS.4,000/-, shall be submitted in the form of Demand Draft (DD) from any Nationalized Bank Drawn in Favor of Canara Bank, Circle Office, Hyderabad payable at Hyderabad. The tenders without EMD will be rejected. However, the contractors will be exempted from the submission of EMD amount on Submission of copy of MSME/ NSIC registration Certificate. The EMD amount will be returned to the unsuccessful bidder after work order issued to the L1 contractor. No interest on the EMD amount. EMD will be returned to the L1 bidder after successful completion of awarded works/ during the payment of final bill. 	
Time limit for execution of work	21 days from the date of work order	
Defect liability period	12 months after completion of work	
Retention money towards defect liability period	5 % of actual bill	
Date of commencement of	As per work order	
TENDED TEDMO AND CONDIT	IONIC P1-£10	

Date: 26.09.2024



CANARA BANK, G A SECTION, CIRCLE OFFICE, HYDERABAD

work		
Income Tax &/ other taxes	At applicable rate	
Payment	After the completion of the work, as per procedure	
Period for submitting final	Within one month from the date of virtual completion of the	
bill by contractor	work	
Liquidated damage for non completion of work in time	1%(one per cent) of the Contract Value per week or part there off of delay subject to a limit of 10%(ten percent) of the Contract Value as "Liquidated damages" for the period during which the said works shall so remain incomplete or the Employer may deduct aforesaid sum towards such damages from any monies due to the Contractor.	
Insurance	At contractor's cost	
Validity of submitted tender	60 days from the opening of tenders	

Sealed tenders are invited on behalf of Canara Bank for the above mentioned work. The Bill of quantities, terms and conditions & layout are enclosed. THE WORK IS TO BE EXECUTED IN A TIME BOUND MANNER. HENCE YOU ARE ADVISED TO PARTICIPATE IN THE TENDER ONLY IF YOU ARE WILLING TO START THE WORK IMMEDIATELY AND COMPLETE IT WITHIN 21 DAYS TIME FROM THE DATE OF WORK ORDER. SITE IS READY FOR IMMEDIATE UNDERTAKING OF THE TENDER WORKS. The sealed tender must be dropped in tender box kept at the Circle Office within the above stipulated time. The tenders shall be opened at our office at the above specified time. The tenderers / authorized representative are requested to be present at the time of opening. Canara Bank will not be bound to accept the lowest tender & reserves the right to reject any or all the tenders without assigning any reason thereof.

Sd/-

Asst. General Manager

GA Section

CO: Hyderabad

•

Place: Hyderabad Date: 26.09.2024

To

The Asst. General Manager, G A Section, Circle Office, Canara Bank, Hyderabad - 500026

Respected Sir,

Sub: Electrical & Data cabling works in the New premises of Wardhannapeta Branch (New).

I / We hereby submit our lowest tender for the above mentioned work as specified in the schedule. I / We have gone through all the specifications, terms and conditions of the contract. If this tender is accepted, I / We hereby agree to abide by and fulfill all the terms and conditions of this agreement & this tender shall constitute a binding contract between us.

Once again knowing fully well the contents of this tender, I / We sign this tender thisDay of2024.

Witness of the Contractor

Address and Signature

Signature of the Contractor with seal & date

1.

2.



SPECIAL CONDITIONS

- 1. The works at the branch/Office premises need to be executed duly taking care of the local bye laws/regulations of the local authorities like Police Dept, Water supply and Sanitary Board, Electricity Board, Central/ State Labour Commission etc. Necessary permissions, licenses, temporary connections if needed shall be obtained by the Contractor and Bank shall not be held responsible for any lapses.
- 2. The works shall be executed duly taking care of all safety measures and Bank shall be fully indemnified for any 3rd party claims, casualities, mishaps, loss of property etc. related to the undertaking & the execution of the subject work.
- 3. <u>Bank reserves the right to award the works to the second lowest (L2) bidder if the lowest bidder (L1) backs out.</u>
- 4. GST TAXES: As per the new Goods & Services Tax (GST) structure, the tenderers are required to have GSTIN number & Tenderers without GSTIN number are not eligible to participate in the tender process. The details as per the Annexure I attached are to be mandatorily furnished along with the tender. The eligible tenderers are requested to quote the GST separately. The taxes will be deducted at source as per the statutory requirements. While raising the bill, it shall be mentioned as bill to Canara Bank and our Bank's GSTIN number to be mentioned.

<u>CANARA BANK'S TELANGANA STATE GSTIN NUMBER IS AS BELOW:</u> <u>36AAACC6106G3Z0</u>

5. <u>Tenderers are requested to submit Bid Security Declaration as per the format provided in the Tender Document</u>

GENERAL RULES & INSTRUCTIONS FOR THE GUIDANCE OF TENDERER.

- 1. Tenderers are expected to visit the site before quoting the rates and should satisfy themselves as to the nature and conditions of work facilities available etc.
- 2. The tenderers are required to examine the enclosed general plan, tender form and conditions mentioned in the tender.
- 3. The tenderers should quote the rates in the figures. The amount for each item should be worked out and the requisite totals shall be given. The total amount shall be written both in figures and words.
- 4. The rates quoted in the tender shall be for measured finished works and shall include all changes including cost of materials, transportation, freight charges etc. complete.
- 5. The work is to be completed within 21 (TWENTY ONE) days from the date of issuing work order/confirmation from our side or handing over vacant possession of the site whichever is later.



- 6. The successful tenderer shall give all necessary personal attention to the work during the process of work and also until the expiry date of "Defects Liability Periods" which is 12 months after the date of completion of the work.
- 7. The bank reserves the right to reject any portion of the work or material, which is, found unsatisfactory not up to the standard.
- 8. A retention amount of 5% of the bill amount will be retained from the final bill and shall be paid to the successful tenderer after the defects liability period is over and upon the certification of the engineer.
- 9. Income tax deduction at prevailing / appropriate rates will be retained from each running bill which will be certified by the income tax authorities and a receipt will be given to the contractors.
- 10. GST will be decided as per the statutory requirements. Any other tax on materials, labour, services etc. in respect of this work shall be payable by the contractor and bank will not entertain any such claims.

CONDITIONS OF CONTRACT

Note: The requirement of these conditions shall be fulfilled by the tenderer without extra charges, the item rates quoted shall be deemed to have taken these conditions in to account.

- 1. If any additions and alterations are found necessary, the tenderer will have to do the same within the tendered rates with the prior approval of the bank.
- 2. The contractor shall employ adequate labour to complete the work within the scheduled time and shall make his own arrangements for housing his materials etc.
- 3. The contactor shall have to make his own arrangements to house his labour and staff for their services.
- 4. All tendered rates shall include for the cost of materials, labour, supervision, tools, plant, transportation, contingencies, duties, breakages, wastages, sundries, scaffolding, etc complete.
- 5. All instruction regarding the execution of the work shall be received from the officials through consultant/architect only. Any other instructions issued directly to the contractor by anyone else shall not be binding on the bank.
- 6. The bank shall have the power to omit or cancel any item of work without assigning any reason whatsoever and no claim for compensation for damage will be entertained for such omissions and cancellation.
- 7. The contactor shall maintain satisfactory progress of work as well as maintain a desired level of workmanship. If in the opinion of the bank the progress is unsatisfactory and / or the workmanship is unsatisfactory then the bank shall take possession of the work within 7 days to that effect. The bank shall then complete the entire work and rectify all the defects at the contractor's cost and consequences.
- 8. In case the bank is not satisfied with the quality of materials used by the contractors, they reserve the right to direct the contractor to procure such materials supplied from agencies they deem fit.
- 9. The contactors is to be responsible for clearing any, all dirt and rubbish and superfluous materials as they accumulate and everything unnecessary and to leave the premises in a



CANARA BANK, G A SECTION, CIRCLE OFFICE, HYDERABAD

clean and orderly condition on completion and fit for occupation. No extra payment shall be made for doing this.

- 10. Any work which is not approved by the bank shall have to be removed within 24 hours from the time of order and shall have to be redone by the contactor at his own cost and this cost will be borne by the contractor.
- 11. No deviation whatsoever for any reason will be permitted, however, if any deviation becomes necessary, the same should be brought to the immediate notice of the bank and written approval must be obtained for such deviation before proceeding with the execution of work.
- 12. The bank has got the right to supply any materials required for the work and cost of materials so supplied will be deducted from the bills of the successful contractor.
- 13. The contactor shall be responsible for safe custody of his material/materials issued to him by the bank till they are used for the work. He shall make his own arrangements for the safe custody and proper storage and preservation in sound condition till the same are actually used in the work.
- 14. The tenderer shall extended full co-operation to the other contactor /agencies like Furnishing, air conditioning, Fire & CCTV, LAN etc who are also working for the same project and co-ordinate with them in finishing the awarded work within the stipulated time given.
- 15. The contactor shall have a competent supervisor on the site for all the time.
- 16. For any new item the rate will be fixed by the bank as per prevailing fair market rate and labour which will be binding on the contactor.
- 17. In case the brand of materials mentioned in the tender is not available in the market, the alternate brand shall be used only after prior written approval of the bank.
- 18. The contactor shall be given a single electrical connection at work site. Electrical charges for consumption by the contactor will be charged separately by the bank, contractors have to provide sub-meter.
- 19. The successful tenderer shall not anticipate any financial help from the bank in the form of adhoc payment / advance for mobilizing and for starting the work.
- 20. The contractor should strictly adhere to the specifications and make of the materials, mentioned in the annexure. Any deviation will summarily reject the items of the work and not qualify for payment.
- 21. The successful tenderer shall be ready to carry out works between non banking hours and even at nights and holidays.
- 22. The contractor should sign all the pages of the document and the same shall be submitted to us.

Signature of the Contractor with seal & date



CANARA BANK, G A SECTION, CIRCLE OFFICE, HYDERABAD Acceptance of contractor for Labour laws

- 1. The successful tenderer / Contractor shall carefully and diligently implement the provisions of the Contract Labour Act & Contract Labour Rules.
- 2. The Bank shall be entitled to deduct from the Contract Consideration, any such amount which the Bank has to pay in accordance with the Contract Labour (Regulation & Abolition) Act 1971 and Workmen's Compensation Act, in the event of the Bank having to disburse compensation / effect any payment under the Contract Labour Acts / Rules.
- 3. Please note that as per rule 81(1) of Contract Labour (R&A) Rules, 1971, it is mandatory on the part of the Contractor to display the notice containing the following details at prominent place at the work site.
- (a) Rates of wages. (b) Hours of work. (c) Wage periods. (d) Dates of payment of wages. (e) Names & addresses of the Labour Inspectors having jurisdiction & (f) Date of payment of unpaid wages.

The notice containing the above details shall be displayed without fail at the work site.

- 4. The Contractor shall not engage any workmen for wages, less than the minimum wages prescribed under the notification issued by the Central Government.
- 5. The contractor should follow all labour laws/guidelines laid down by central /state government from time to time.

CERTIFICATE

I / WE HAVE READ, FULLY UNDERSTOOD THE ABOVE MENTIONED REGULATIONS OF LABOUR LAWS/GUIDELINES AND ACCEPT THE SAME IN TOTO. I ALSO UNDERTAKE TO FOLLOW ALL LABOUR LAWS/GUIDELINES LAID DOWN BY CENTRAL /STATE GOVERNMENT FROM TIME TO TIME & INDEMNIFY THE BANK AUTHORITIES.

SIGNATURE OF THE CONTRACTOR WITH SEAL & DATE

ANNEXURE I (TO BE MANDATORILY FURNISHED)

1.	Name of the Contractor under the Contract Labour (Regulation and Abolition) Act, 1970 (37 of 1970) (if applicable)	
2.	LIN / PAN No	
3.	Email Id	
4.	Mobile No.	
5.	No. & date of Certificate of Registration/ License*	
6.	Name of Person in charge of work	
7.	LIN / PAN No. of the person in charge of work	
8.	Email Id of the person in charge of work	
9.	Mobile No. of the person in charge of work	
10.	The Nature of work involved & the facilities, including any plant & machinery provided in the case of a building or other construction work	
11.	The arrangement for the storage of explosives, if any, to be used in the building or other construction work	

SIGNATURE OF THE CONTRACTOR WITH SEAL & DATE

^{*} Please strike off whichever is not applicable



CANARA BANK, G A SECTION, CIRCLE OFFICE, HYDERABAD APPROVED LIST OF MATERIALS

1 MCCB / MCB - C Curve (All 10 kA Category) 2 ISOLATOR 2 ISOLATOR 3 SWITCHES, SOCKETS (MODULAR) & LEGRAND 4 CHANGE OVER SWITCH 5 INSULATED WIRES (FRLS) CABLES 6 CABLE GLANDS & LUGS 7 POWER CABLES 8 LIGHT FITTINGS 9 FAN (CROMPTON 'AURA/ HAVELLS' 'SS-390') (WHITE COLOUR) 10 16" WALL FAN 11 12"/9" EXHAUST FAN CROMPTON / ALMONARD with double ball bearing only 12 DBS 13 TIMER 14 ELECTRONIC REGULATORS 15 CASING CAPPING MODI'S, GEMINI with ISI MARK 16 PVC conduit Pipe White/grey colour FRLS pipes only. Black colour should not be used 17 G.I. B-CLASS PIPES (ISI) 18 Telephone Wires/Cables DOUBLE RJ 11 LEGRAND MODI'S, GEMINI with ISI MARK Avon Plast, Precision, Polycab, G.M with ISI mark TIC, PRAKASH Delton, Finolex/ R.R Kabel (0.5 mm dia) A.E., IMP, MECCO, SIEMENS 20 DOUBLE RJ 11 LEGRAND	SL NO	ITEMS	MAKES
2 ISOLATOR 3 SWITCHES, SOCKETS (MODULAR) & LEGRAND (MYRIUS) / INDOASIAN MODULAR BOX 4 CHANGE OVER SWITCH 5 INSULATED WIRES (FRLS) CABLES 6 CABLE GLANDS & LUGS 7 POWER CABLES 8 LIGHT FITTINGS 9 FAN (CROMPTON 'AURA'/ HAVELL'S 'SS-390') (WHITE COLOUR) 10 16" WALL FAN ALMONARD/ CROMPTON/HAVELLS/ USHA (WHITE COLOUR) 11 12"/9" EXHAUST FAN CROMPTON / ALMONARD with double ball bearing only 12 DBS Hager, Merlin Gerin, Legrand, GE, C & S 13 TIMER LEGRAND Model: 649 915 / SIEMENS 14 ELECTRONIC REGULATORS LEGRAND 15 CASING CAPPING MODI'S, GEMINI with ISI MARK 16 PVC conduit Pipe White/grey colour FRLS pipes only. Black colour should not be used 17 G.I. B-CLASS PIPES (ISI) ITC, PRAKASH 18 Telephone Wires/Cables Delton, Finolex/ R.R Kabel (0.5 mm dia) 19 MEASURING INSTRUMENTS A.E., IMP, MECCO, SIEMENS	1	MCCB / MCB - C Curve (All 10 kA	Legrand, L & T, Merlin Gerin, Hager, GE,
SWITCHES, SOCKETS (MODULAR) & LEGRAND (MYRIUS) / INDOASIAN MODULAR BOX 4 CHANGE OVER SWITCH 5 INSULATED WIRES (FRLS) CABLES 6 CABLE GLANDS & LUGS 7 POWER CABLES 8 LIGHT FITTINGS 9 FAN (CROMPTON 'AURA' HAVELL'S 'SS-390') (WHITE COLOUR) 10 16" WALL FAN 11 12"/9" EXHAUST FAN CROMPTON / ALMONARD with double ball bearing only 12 DBS 13 TIMER 14 ELECTRONIC REGULATORS 15 CASING CAPPING MODI'S, GEMINI with ISI MARK 16 PVC conduit Pipe White/grey colour FRLS pipes only. Black colour should not be used 17 G.I. B-CLASS PIPES (ISI) TIC, PRAKASH 18 Telephone Wires/Cables Delton, Finolex/ R.R Kabel (0.5 mm dia) 19 MEASURING INSTRUMENTS AELECT (MYRIUS) / INDOASIAN SHYNORA, M.K India Wraparound LEGRAND (MYRIUS) / INDOASIAN SHYNORA, M.K India Wraparound LEGRAND HAVELLS HAVELL'S /WIPRO/ PHILIPS FINOLEX / KEI/ APAR / HAVELS FINOLEX / KEI/ APAR / HAVELS		Category)	C&S, Schneider Electric Indoasian.
MODULAR BOX SHYNORA, M,K India Wraparound CHANGE OVER SWITCH INSULATED WIRES (FRLS) CABLES FINOLEX / KEI/ APAR/ HAVELS CABLE GLANDS & LUGS SIEMENS POWER CABLES LIGHT FITTINGS HAVELL'S /WIPRO/ PHILIPS FAN (CROMPTON 'AURA/ HAVELL'S 'SS-390') (WHITE COLOUR) 10 16" WALL FAN ALMONARD/ CROMPTON/HAVELLS/ USHA (WHITE COLOUR) 11 12"'9" EXHAUST FAN CROMPTON / ALMONARD with double ball bearing only Legrand, GE, C & S TIMER LEGRAND Model: 649 915 / SIEMENS LEGRAND TIMER LEGRAND CASING CAPPING MODI'S, GEMINI with ISI MARK AVON Plast, Precision, Polycab, G.M with ISI mark colour should not be used TO G.I. B-CLASS PIPES (ISI) TIC, PRAKASH RESPONDENCE Delton, Finolex / R.R Kabel (0.5 mm dia) A.E., IMP, MECCO, SIEMENS	2	ISOLATOR	LEGRAND
4 CHANGE OVER SWITCH 5 INSULATED WIRES (FRLS) CABLES FINOLEX / KEI/ APAR/ HAVELS 6 CABLE GLANDS & LUGS 7 POWER CABLES 8 LIGHT FITTINGS 9 FAN (CROMPTON 'AURA'/ HAVELL'S 'SS-390') (WHITE COLOUR) 10 16" WALL FAN ALMONARD/ CROMPTON/HAVELLS/ USHA (WHITE COLOUR) 11 12"/9" EXHAUST FAN CROMPTON / ALMONARD with double ball bearing only 12 DBS Hager, Merlin Gerin, Legrand, GE, C & S 13 TIMER LEGRAND Model: 649 915 / SIEMENS 14 ELECTRONIC REGULATORS LEGRAND 15 CASING CAPPING MODI'S, GEMINI with ISI MARK 16 PVC conduit Pipe White/grey colour FRLS pipes only. Black colour should not be used 17 G.I. B-CLASS PIPES (ISI) ITC, PRAKASH 18 Telephone Wires/Cables Delton, Finolex/ R.R Kabel (0.5 mm dia) 19 MEASURING INSTRUMENTS A.E., IMP, MECCO, SIEMENS	3	SWITCHES , SOCKETS (MODULAR) &	LEGRAND (MYRIUS)/INDOASIAN
5 INSULATED WIRES (FRLS) CABLES FINOLEX / KEI/ APAR/ HAVELS 6 CABLE GLANDS & LUGS 7 POWER CABLES 8 LIGHT FITTINGS HAVELL'S /WIPRO/ PHILIPS 9 FAN (CROMPTON 'AURA/ HAVELL'S 'SS-390') (WHITE COLOUR) 10 16" WALL FAN ALMONARD/ CROMPTON/HAVELLS/ USHA (WHITE COLOUR) 11 12"/9" EXHAUST FAN CROMPTON / ALMONARD with double ball bearing only 12 DBS Hager, Merlin Gerin, Legrand, GE, C & S 13 TIMER LEGRAND Model: 649 915 / SIEMENS 14 ELECTRONIC REGULATORS LEGRAND 15 CASING CAPPING MODI'S, GEMINI with ISI MARK 16 PVC conduit Pipe White/grey colour FRLS pipes only. Black colour should not be used 17 G.I. B-CLASS PIPES (ISI) ITC, PRAKASH 18 Telephone Wires/Cables Delton, Finolex/ R.R Kabel (0.5 mm dia) 19 MEASURING INSTRUMENTS A.E., IMP, MECCO, SIEMENS		MODULAR BOX	SHYNORA, M,K India Wraparound
6 CABLE GLANDS & LUGS Finolex/ Polycab /HAVELS 8 LIGHT FITTINGS HAVELL'S /WIPRO/ PHILIPS 9 FAN (CROMPTON 'AURA'/ HAVELL'S 'SS-390') (WHITE COLOUR) 10 16" WALL FAN ALMONARD/ CROMPTON/HAVELLS/ USHA (WHITE COLOUR) 11 12"/9" EXHAUST FAN CROMPTON / ALMONARD with double ball bearing only 12 DBS Hager, Merlin Gerin, Legrand, GE, C & S 13 TIMER LEGRAND Model: 649 915 / SIEMENS 14 ELECTRONIC REGULATORS LEGRAND 15 CASING CAPPING MODI'S, GEMINI with ISI MARK 16 PVC conduit Pipe White/grey colour FRLS pipes only. Black colour should not be used 17 G.I. B-CLASS PIPES (ISI) ITC, PRAKASH 18 Telephone Wires/Cables Delton, Finolex/ R.R Kabel (0.5 mm dia) 19 MEASURING INSTRUMENTS A.E., IMP, MECCO, SIEMENS	4	CHANGE OVER SWITCH	L&T/ C&S/HPL
7 POWER CABLES 8 LIGHT FITTINGS 9 FAN (CROMPTON 'AURA'/ HAVELL'S 'SS-390') (WHITE COLOUR) 10 16" WALL FAN ALMONARD/ CROMPTON/HAVELLS/ USHA (WHITE COLOUR) 11 12"/9" EXHAUST FAN CROMPTON / ALMONARD with double ball bearing only 12 DBS Hager, Merlin Gerin, Legrand, GE, C & S 13 TIMER LEGRAND Model: 649 915 / SIEMENS 14 ELECTRONIC REGULATORS LEGRAND 15 CASING CAPPING MODI'S, GEMINI with ISI MARK 16 PVC conduit Pipe White/grey colour FRLS pipes only. Black colour should not be used 17 G.I. B-CLASS PIPES (ISI) ITC, PRAKASH 18 Telephone Wires/Cables Delton, Finolex/ R.R Kabel (0.5 mm dia) 19 MEASURING INSTRUMENTS A.E., IMP, MECCO, SIEMENS	5	INSULATED WIRES (FRLS) CABLES	FINOLEX / KEI/ APAR/ HAVELS
8 LIGHT FITTINGS HAVELL'S /WIPRO/ PHILIPS 9 FAN (CROMPTON 'AURA'/ HAVELL'S 'SS-390') (WHITE COLOUR) 10 16" WALL FAN ALMONARD/ CROMPTON/HAVELLS/ USHA (WHITE COLOUR) 11 12"/9" EXHAUST FAN CROMPTON / ALMONARD with double ball bearing only 12 DBS Hager, Merlin Gerin, Legrand, GE, C & S 13 TIMER LEGRAND Model: 649 915 / SIEMENS 14 ELECTRONIC REGULATORS LEGRAND 15 CASING CAPPING MODI'S, GEMINI with ISI MARK 16 PVC conduit Pipe Avon Plast, Precision, Polycab, G.M with ISI White/grey colour FRLS pipes only. Black colour should not be used 17 G.I. B-CLASS PIPES (ISI) ITC, PRAKASH 18 Telephone Wires/Cables Delton, Finolex/ R.R Kabel (0.5 mm dia) 19 MEASURING INSTRUMENTS A.E., IMP, MECCO, SIEMENS	6	CABLE GLANDS & LUGS	SIEMENS
9 FAN (CROMPTON 'AURA'/ HAVELL'S 'SS-390') (WHITE COLOUR) 10 16" WALL FAN ALMONARD/ CROMPTON/HAVELLS/ USHA (WHITE COLOUR) 11 12"/9" EXHAUST FAN CROMPTON / ALMONARD with double ball bearing only 12 DBS Hager, Merlin Gerin, Legrand, GE, C & S 13 TIMER LEGRAND Model: 649 915 / SIEMENS 14 ELECTRONIC REGULATORS LEGRAND 15 CASING CAPPING MODI'S, GEMINI with ISI MARK 16 PVC conduit Pipe Avon Plast, Precision, Polycab, G.M with ISI White/grey colour FRLS pipes only. Black colour should not be used 17 G.I. B-CLASS PIPES (ISI) ITC, PRAKASH 18 Telephone Wires/Cables Delton, Finolex/ R.R Kabel (0.5 mm dia) 19 MEASURING INSTRUMENTS A.E., IMP, MECCO, SIEMENS	7	POWER CABLES	Finolex/ Polycab /HAVELS
(WHITE COLOUR) 10 16" WALL FAN ALMONARD/ CROMPTON/HAVELLS/ USHA (WHITE COLOUR) 11 12"/9" EXHAUST FAN CROMPTON / ALMONARD with double ball bearing only 12 DBS Hager, Merlin Gerin, Legrand, GE, C & S 13 TIMER LEGRAND Model: 649 915 / SIEMENS 14 ELECTRONIC REGULATORS LEGRAND 15 CASING CAPPING MODI'S, GEMINI with ISI MARK 16 PVC conduit Pipe Avon Plast, Precision, Polycab, G.M with ISI White/grey colour FRLS pipes only. Black colour should not be used 17 G.I. B-CLASS PIPES (ISI) ITC, PRAKASH 18 Telephone Wires/Cables Delton, Finolex/ R.R Kabel (0.5 mm dia) 19 MEASURING INSTRUMENTS A.E., IMP, MECCO, SIEMENS	8	LIGHT FITTINGS	HAVELL'S /WIPRO/ PHILIPS
10 16" WALL FAN ALMONARD/ CROMPTON/HAVELLS/ USHA (WHITE COLOUR) 11 12"/9" EXHAUST FAN CROMPTON / ALMONARD with double ball bearing only 12 DBS Hager, Merlin Gerin, Legrand, GE, C & S 13 TIMER LEGRAND Model: 649 915 / SIEMENS 14 ELECTRONIC REGULATORS LEGRAND 15 CASING CAPPING MODI'S, GEMINI with ISI MARK 16 PVC conduit Pipe Avon Plast, Precision, Polycab, G.M with ISI White/grey colour FRLS pipes only. Black colour should not be used 17 G.I. B-CLASS PIPES (ISI) ITC, PRAKASH 18 Telephone Wires/Cables Delton, Finolex/ R.R Kabel (0.5 mm dia) 19 MEASURING INSTRUMENTS A.E., IMP, MECCO, SIEMENS	9	FAN	(CROMPTON 'AURA'/ HAVELL'S 'SS-390')
USHA (WHITE COLOUR) 11 12"/9" EXHAUST FAN CROMPTON / ALMONARD with double ball bearing only 12 DBS Hager, Merlin Gerin, Legrand, GE, C & S 13 TIMER LEGRAND Model: 649 915 / SIEMENS 14 ELECTRONIC REGULATORS LEGRAND 15 CASING CAPPING MODI'S, GEMINI with ISI MARK 16 PVC conduit Pipe Avon Plast, Precision, Polycab, G.M with ISI White/grey colour FRLS pipes only. Black colour should not be used 17 G.I. B-CLASS PIPES (ISI) ITC, PRAKASH 18 Telephone Wires/Cables Delton, Finolex/ R.R Kabel (0.5 mm dia) 19 MEASURING INSTRUMENTS A.E., IMP, MECCO, SIEMENS			(WHITE COLOUR)
11 12"/9" EXHAUST FAN CROMPTON / ALMONARD with double ball bearing only 12 DBS Hager, Merlin Gerin, Legrand, GE, C & S 13 TIMER LEGRAND Model: 649 915 / SIEMENS 14 ELECTRONIC REGULATORS LEGRAND 15 CASING CAPPING MODI'S, GEMINI with ISI MARK 16 PVC conduit Pipe Avon Plast, Precision, Polycab, G.M with ISI White/grey colour FRLS pipes only. Black colour should not be used 17 G.I. B-CLASS PIPES (ISI) ITC, PRAKASH 18 Telephone Wires/Cables Delton, Finolex/ R.R Kabel (0.5 mm dia) 19 MEASURING INSTRUMENTS A.E., IMP, MECCO, SIEMENS	10	16" WALL FAN	ALMONARD/ CROMPTON/HAVELLS/
bearing only 12 DBS Hager, Merlin Gerin, Legrand, GE, C & S 13 TIMER LEGRAND Model: 649 915 / SIEMENS 14 ELECTRONIC REGULATORS LEGRAND 15 CASING CAPPING MODI'S, GEMINI with ISI MARK 16 PVC conduit Pipe Avon Plast, Precision, Polycab, G.M with ISI White/grey colour FRLS pipes only. Black colour should not be used 17 G.I. B-CLASS PIPES (ISI) ITC, PRAKASH 18 Telephone Wires/Cables Delton, Finolex/ R.R Kabel (0.5 mm dia) 19 MEASURING INSTRUMENTS A.E., IMP, MECCO, SIEMENS			USHA (WHITE COLOUR)
12 DBS Hager, Merlin Gerin, Legrand, GE, C & S 13 TIMER LEGRAND Model: 649 915 / SIEMENS 14 ELECTRONIC REGULATORS LEGRAND 15 CASING CAPPING MODI'S, GEMINI with ISI MARK 16 PVC conduit Pipe Avon Plast, Precision, Polycab, G.M with ISI White/grey colour FRLS pipes only. Black colour should not be used 17 G.I. B-CLASS PIPES (ISI) ITC, PRAKASH 18 Telephone Wires/Cables Delton, Finolex/ R.R Kabel (0.5 mm dia) 19 MEASURING INSTRUMENTS A.E., IMP, MECCO, SIEMENS	11	12"/9" EXHAUST FAN	CROMPTON / ALMONARD with double ball
TIMER LEGRAND Model: 649 915 / SIEMENS LEGRAND LEGRAND CASING CAPPING MODI'S, GEMINI with ISI MARK PVC conduit Pipe Avon Plast, Precision, Polycab, G.M with ISI White/grey colour FRLS pipes only. Black colour should not be used G.I. B-CLASS PIPES (ISI) Telephone Wires/Cables Delton, Finolex/ R.R Kabel (0.5 mm dia) MEASURING INSTRUMENTS A.E., IMP, MECCO, SIEMENS			bearing only
14 ELECTRONIC REGULATORS LEGRAND 15 CASING CAPPING MODI'S, GEMINI with ISI MARK 16 PVC conduit Pipe Avon Plast, Precision, Polycab, G.M with ISI White/grey colour FRLS pipes only. Black colour should not be used 17 G.I. B-CLASS PIPES (ISI) ITC, PRAKASH 18 Telephone Wires/Cables Delton, Finolex/ R.R Kabel (0.5 mm dia) 19 MEASURING INSTRUMENTS A.E., IMP, MECCO, SIEMENS	12	DBS	Hager, Merlin Gerin, Legrand, GE, C & S
15 CASING CAPPING MODI'S, GEMINI with ISI MARK 16 PVC conduit Pipe Avon Plast, Precision, Polycab, G.M with ISI White/grey colour FRLS pipes only. Black colour should not be used 17 G.I. B-CLASS PIPES (ISI) ITC, PRAKASH 18 Telephone Wires/Cables Delton, Finolex/ R.R Kabel (0.5 mm dia) 19 MEASURING INSTRUMENTS A.E., IMP, MECCO, SIEMENS	13	TIMER	LEGRAND Model: 649 915 / SIEMENS
16 PVC conduit Pipe Avon Plast, Precision, Polycab, G.M with ISI White/grey colour FRLS pipes only. Black colour should not be used 17 G.I. B-CLASS PIPES (ISI) ITC, PRAKASH 18 Telephone Wires/Cables Delton, Finolex/ R.R Kabel (0.5 mm dia) 19 MEASURING INSTRUMENTS A.E., IMP, MECCO, SIEMENS	14	ELECTRONIC REGULATORS	LEGRAND
White/grey colour FRLS pipes only. Black colour should not be used 17 G.I. B-CLASS PIPES (ISI) 18 Telephone Wires/Cables Delton, Finolex/ R.R Kabel (0.5 mm dia) 19 MEASURING INSTRUMENTS A.E., IMP, MECCO, SIEMENS	15	CASING CAPPING	MODI'S, GEMINI with ISI MARK
colour should not be used 17 G.I. B-CLASS PIPES (ISI) 18 Telephone Wires/Cables Delton, Finolex/ R.R Kabel (0.5 mm dia) 19 MEASURING INSTRUMENTS A.E., IMP, MECCO, SIEMENS	16	PVC conduit Pipe	Avon Plast, Precision, Polycab, G.M with ISI
17 G.I. B-CLASS PIPES (ISI) ITC, PRAKASH 18 Telephone Wires/Cables Delton, Finolex/ R.R Kabel (0.5 mm dia) 19 MEASURING INSTRUMENTS A.E., IMP, MECCO, SIEMENS		White/grey colour FRLS pipes only. Black	mark
18 Telephone Wires/Cables Delton, Finolex/ R.R Kabel (0.5 mm dia) 19 MEASURING INSTRUMENTS A.E., IMP, MECCO, SIEMENS		colour should not be used	
19 MEASURING INSTRUMENTS A.E., IMP, MECCO, SIEMENS	17	G.I. B-CLASS PIPES (ISI)	ITC, PRAKASH
	18	Telephone Wires/Cables	Delton, Finolex/ R.R Kabel (0.5 mm dia)
20 DOUBLE RJ 11 LEGRAND	19	MEASURING INSTRUMENTS	A.E., IMP, MECCO, SIEMENS
$_{ m I}$	20	DOUBLE RJ 11	LEGRAND



CANARA BANK, G A SECTION, CIRCLE OFFICE, HYDERABAD

<u>NOTE:</u> Any brands indicated under the items specifications in the Bill of quantities will prevail over the above indicated makes. Apart from the above makes, any further equivalent make as approved by the Bank, can also be used with prior permission from the Bank and the consultant. Samples are to be approved by Bank and the Consultant if any.

COLOUR CODING: Colour coding of wires to be followed strictly and all the DB boards to be named

RED - Phase, BLACK - Neutral, GREEN - Earth

WARRANTY OF ABOVE ITEMS to be specified

SIGNATURE OF THE CONTRACTOR WITH SEAL & DATE